

Apple Pro Training Series

Final Cut Pro X 10.4

Professional Post-Production

Brendan Boykin



Certification exam preparation for:
Apple Certified Professional — Final Cut Pro X 10.4

Lesson and media files available for download

FREE SAMPLE CHAPTER

SHARE WITH OTHERS



Apple Pro Training Series

Final Cut Pro X 10.4

Professional Post-Production

Brendan Boykin



Apple Pro Training Series
Final Cut Pro X 10.4
Brendan Boykin
Copyright © 2019 by Brendan Boykin
Updated for Final Cut Pro X v10.4 June 2018

Peachpit Press
www.peachpit.com
Peachpit Press is an imprint of Pearson Education, Inc.
To report errors, please send a note to errata@peachpit.com.

Apple Series Editor: Laura Norman
Editor: Bob Lindstrom
Senior Production Editor: Tracey Croom
Production Coordinator: Maureen Forys, Happenstance Type-O-Rama
Technical Editor: Noah Kadner
Copy Editor: Darren Meiss
Proofreader: Scout Festa
Composer: Cody Gates, Happenstance Type-O-Rama
Indexer: Valerie Perry
Cover Illustration: Paul Mavrides
Cover Production: Cody Gates, Happenstance Type-O-Rama

Notice of Rights

All rights reserved. No part of this book may be reproduced or transmitted in any form by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. For information on getting permission for reprints and excerpts, please complete the form at <http://www.pearsoned.com/permissions/>.

The projects and footage supplied with this book may only be used for educational purposes in association with the lessons included. Any other use, including but not limited to incorporating footage into another project, duplicating or distributing footage, is expressly forbidden and requires explicit permission from the copyright holders listed above.

Footage from *Lifted* used with permission of Ripple Training, Inc. and H5 Productions. © 2015 Ripple Training, Inc. All rights reserved.

The music, *Tears of Joy* by Adi Goldstein (www.adigoldstein.com) used with permission. © 2015 Adi Goldstein. All rights reserved.

Chroma key media used with permission of Creek Mountain Media. © 2015 Creek Mountain Media. All rights reserved.

Notice of Liability

The information in this book is distributed on an “As Is” basis, without warranty. While every precaution has been taken in the preparation of the book, neither the author nor Peachpit Press shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the instructions contained in this book or by the computer software and hardware products described in it.

Trademarks

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and Peachpit was aware of a trademark claim, the designations appear as requested by the owner of the trademark. All other product names and services identified throughout this book are used in editorial fashion only and for the benefit of such companies with no intention of infringement of the trademark. No such use, or the use of any trade name, is intended to convey endorsement or other affiliation with this book.

ISBN 13: 978-0-13-517173-8

ISBN 10: 0-13-5171733

1 18

Contents at a Glance

Lesson 1	Getting Started	1
Lesson 2	Importing Media.	13
Lesson 3	Organizing Clips.	49
Lesson 4	Making the First Edit.	113
Lesson 5	Revising the Edit.	205
Lesson 6	Enhancing the Edit.	263
Lesson 7	Finishing the Edit.	321
Lesson 8	Sharing a Project.	427
Lesson 9	Managing Libraries	445
Lesson 10	Advancing Your Workflow.	471
Appendix A	Keyboard Shortcuts	517
Appendix B	Editing Native Formats	531
Appendix C	Checkpoints.	533
	Index.	537

Table of Contents

Lesson 1	Getting Started	1
	Learned from a Legacy	2
Reference 1.1	Using This Book	3
Exercise 1.1.1	Downloading the Source Media Files	4
Exercise 1.1.2	Preparing the Source Media Files	5
Reference 1.2	Introducing the Job and the Workflow	8
	Lesson Review	11
Lesson 2	Importing Media	13
Reference 2.1	Understanding Clips, Events, and Libraries	13
Exercise 2.1.1	Creating a Library	16
Exercise 2.1.2	Preparing to Import Camera Source Files	21
Reference 2.2	Using the Media Import Window	22
Exercise 2.2.1	Creating a Camera Archive	25
Reference 2.3	Importing Source Media from a Camera	28
Exercise 2.3.1	Navigating Within a Filmstrip Preview	29
Exercise 2.3.2	Importing Files from a Camera Card	32
Reference 2.4	Choosing Media Import Options	35
Exercise 2.4.1	Applying Media Import Options	39
Reference 2.5	Import Files from a Volume	40
Exercise 2.5.1	Importing Existing Files from a Volume	42
	Lesson Review	47
Lesson 3	Organizing Clips	49
Reference 3.1	Introducing the Libraries sidebar, Browser, and Viewer Areas	49
Reference 3.2	Using Keywords	52
Exercise 3.2.1	Keywording a Clip	53
Exercise 3.2.2	Keywording a Range	66
Exercise 3.2.3	Adding Notes to a Clip	70

Reference 3.3	Assigning Ratings	73
Exercise 3.3.1	Applying Ratings	74
Exercise 3.3.2	Customizing a Favorite	83
Reference 3.4	Search, Sort, and Filter	85
Exercise 3.4.1	Filtering an Event	91
Exercise 3.4.2	Working with Smart Collections	94
Exercise 3.4.3	Creating a Library-Wide Smart Collection	97
Exercise 3.4.4	Detecting People and Shot Composition	100
Reference 3.5	Roles	102
Exercise 3.5.1	Assigning Roles	104
	Lesson Review	112
Lesson 4	Making the First Edit	113
Reference 4.1	Understanding a Project	113
Exercise 4.1.1	Creating a Project	114
Reference 4.2	Defining the Primary Storyline	116
Exercise 4.2.1	Appending the Primary Storyline	118
Exercise 4.2.2	Rearranging Clips in the Primary Storyline	125
Reference 4.3	Modifying Clips in the Primary Storyline	127
Exercise 4.3.1	Performing Insert Edits	128
Exercise 4.3.2	Rippling the Primary Storyline	131
Reference 4.4	Timing the Primary Storyline	137
Exercise 4.4.1	Inserting a Gap Clip	139
Exercise 4.4.2	Blading and Deleting	141
Exercise 4.4.3	Joining a Through Edit	145
Exercise 4.4.4	Refining Some Sound Bite Edits	146
Reference 4.5	Editing Above the Primary Storyline	148
Exercise 4.5.1	Adding and Trimming Connected B-roll	149
Exercise 4.5.2	Understanding Connected Clip Sync and Trimming Behaviors	157
Reference 4.6	Creating a Connected Storyline	160
Exercise 4.6.1	Converting Connected Clips into a Connected Storyline	161
Exercise 4.6.2	Appending Clips to a Connected Storyline	164
Reference 4.7	Editing Below the Primary Storyline	179
Exercise 4.7.1	Connecting a Music Clip	179
Reference 4.8	Finessing the Rough Cut	180
Exercise 4.8.1	Adjusting the Edits	182
Exercise 4.8.2	Adjusting Clip Volume Levels	186

Exercise 4.8.3	Connecting Two Additional B-Roll Clips	188
Exercise 4.8.4	Refining Edits Using Cross Dissolves and Fade Handles	191
Reference 4.9	Sharing Your Progress	196
Exercise 4.9.1	Sharing an iOS-Compatible File	196
	Lesson Review	201
Lesson 5	Revising the Edit	205
Reference 5.1	Versioning a Project	206
Exercise 5.1.1	Snapshotting a Project	207
Reference 5.2	Lifting from a Storyline	208
Exercise 5.2.1	Lifting Clips Out of a Storyline.	209
Reference 5.3	Replacing a Clip	210
Exercise 5.3.1	Replacing the Primary Storyline.	212
Exercise 5.3.2	Creating Time at 0:00.	214
Reference 5.4	Working with Markers	221
Exercise 5.4.1	Creating Markers.	223
Reference 5.5	Using the Position Tool	228
Exercise 5.5.1	Realigning Sound Bites and B-roll to Music.	229
Reference 5.6	Working with Auditions.	236
Exercise 5.6.1	Repositioning Storylines and Deleting Within.	237
Exercise 5.6.2	Importing the Aerial Clips Using Finder Tags	239
Exercise 5.6.3	Working with an Audition Clip	242
Reference 5.7	Trimming the Tops and Tails	246
Exercise 5.7.1	Trimming the Aerials	247
	Lesson Review	261
Lesson 6	Enhancing the Edit	263
Reference 6.1	Retiming Clips.	263
Exercise 6.1.1	Setting a Constant Speed Change.	264
Exercise 6.1.2	Editing with Blade Speed.	269
Reference 6.2	Working with Video Effects	275
Exercise 6.2.1	Experimenting with Video Effects	277
Exercise 6.2.2	Creating a Depth of Field Effect	287
Reference 6.3	Working with Video Transitions.	293
Exercise 6.3.1	Experimenting with Transitions	294
Reference 6.4	Compositing Using Spatial Parameters	304
Exercise 6.4.1	Creating a Two-Up Split Screen	306
Exercise 6.4.2	Exploring the Video Animation Editor	312

Reference 6.5	Compounding Clips	316
Exercise 6.5.1	Collapsing a Composite into a Compound.	316
	Lesson Review	319
Lesson 7	Finishing the Edit	321
Reference 7.1	Using Titles	321
Exercise 7.1.1	Adding and Modifying a Lower Third	323
Reference 7.2	Creating 3D Titles.	329
Exercise 7.2.1	Exploring 3D Options	332
Reference 7.3	Working with Audio.	346
Exercise 7.3.1	Adding Sound to a Clip.	347
Exercise 7.3.2	Adjusting Volume Levels over Time	360
Reference 7.4	Understanding Audio Enhancements	377
Reference 7.5	Recording a Voiceover	378
Exercise 7.5.1	Using the Voiceover Tool.	378
Reference 7.6	Correcting the Image	381
Exercise 7.6.1	Exploring the Color Correction Tools for Luma	384
Exercise 7.6.2	Exploring the Color Correction Tools for Chroma	410
	Lesson Review	424
Lesson 8	Sharing a Project	427
Reference 8.1	Creating a Viewable File	427
Exercise 8.1.1	Sharing to an Online Host.	429
Exercise 8.1.2	Sharing to a Bundle.	433
Exercise 8.1.3	Sharing a Master File	436
Reference 8.2	Creating an Exchangeable File	440
Reference 8.3	Utilizing Compressor	440
Exercise 8.3.1	Adding a Compressor Setting to the Share Destinations	440
Exercise 8.3.2	Sending to Compressor	441
	Lesson Review	443
Lesson 9	Managing Libraries	445
Reference 9.1	Storing the Imported Media	445
Exercise 9.1.1	Importing Existing Files as Externally Referenced	450
Exercise 9.1.2	Importing as Internally Managed Clips.	454
Exercise 9.1.3	Copying as Externally Referenced	457
Exercise 9.1.4	Moving and Copying Clips Within a Library.	460
Exercise 9.1.5	Making a Library Portable.	463
	Lesson Review	469

Lesson 10	Advancing Your Workflow	471
Sub-workflow 10.1	Using Manual Settings for a New Project	471
Sub-workflow 10.2	Synchronizing Dual System Recordings	475
Sub-workflow 10.3	Using Chroma Key	477
Sub-workflow 10.4	Working with Multicam	484
Sub-workflow 10.5	Manipulating 360-Video	495
Sub-workflow 10.6	Generating Captions	502
	Lesson Review	515
Appendix A	Keyboard Shortcuts	517
	Assigning Keyboard Shortcuts	517
	Reviewing the Default Command Set	519
Appendix B	Editing Native Formats	531
	Native Video Formats	531
	Native Still-Image Formats	532
	Native Audio Formats	532
Appendix C	Checkpoints	533
	Downloading and Relinking the Checkpoints Library . . .	533
	Using the Checkpoints Library	535
	Index	537

Lesson 4

Making the First Edit

After importing and organizing, the story elements sit as clips in the library, ready for editing. The editing phase of the post-production workflow involves crafting a story from the library clips into a project or timeline.

The first edit, or *rough cut*, of a project involves some or most of the major tasks from the remainder of the post workflow. An edit of the project is created; it's trimmed down for timing, pacing, and conciseness; additional elements, such as music, may be added; and then the project is shared out of Final Cut Pro for client or producer approval.

You are ready to embark on the post workflow with the Lifted project. In this lesson, you will assemble the interview sound bites and the helicopter B-roll to form the story. You'll trim the edits to remove any extraneous content, and then add a music clip. Lastly, you will export this first edit of the project as a file that is playable on a Mac, PC, smartphone, or tablet.

Reference 4.1

Understanding a Project

The editing phase occurs in a *project*—a timeline-based container of sequentially arranged clips that tell a story. Projects are simple or complex timelines, depending on the technical depth of the story.

GOALS

- ▶ Create a project
- ▶ Understand the attraction and repulsion behaviors of a storyline
- ▶ Append, insert, and rearrange clips within a storyline
- ▶ Batch edit a “storyboard” of clips
- ▶ Ripple, roll, and slip edit clips
- ▶ Blade, replace with gap, ripple delete, and join through edit
- ▶ Manipulate gap clips for pacing
- ▶ Perform connect edits
- ▶ Understand the horizontal and vertical relationships between connected clips
- ▶ Create and edit in a connected storyline
- ▶ Adjust audio levels
- ▶ Apply Audio Fade Handles to a clip
- ▶ Share the project to a media file



Finished project for Lesson 4

Projects are stored within individual events in a library: the super-container of your Final Cut Pro editing project that makes loading/unloading and transporting all your clips, events, and projects for a show, client, or movie much more convenient.


Events may contain as many projects as you need. For example, a news editor may need three projects for the VO (voiceover), the package, and the teaser. A documentary editor could easily use 10 to 30 projects when breaking down an edit by segment, creating a variety of video news releases, posting online teasers, and developing various versions of the documentary based on running time and/or content.

You already have the Lifted library with two events of clips. Let's edit.


Exercise 4.1.1 Creating a Project

To start the first edit, you must create the project. A couple of clicks and you've got yourself a starting project.

- 1 In the Lifted library, Control-click (or right-click) the Primary Media event, and from the shortcut menu, choose New Project.




The Project Properties dialog opens to the default automatic settings.




NOTE ► If your dialog opens to the custom settings, click the Use Automatic Settings button.

- 2 For the Project Name, enter *Lifted Vignette*.
- 3 Click the In Event pop-up menu.




In Event specifies the event in which to save the project you are creating. The pop-up menu displays the events available in the open libraries.

- 4 Ensure that the In Event pop-up menu is set to Primary Media, and click OK.
The project is created and saved in the Primary Media event.
- 5 If necessary, in the Lifted library, select the Primary Media event and switch to list view.



The project appears at the top of the Browser.

- 6 If necessary, double-click the project to open it in the Timeline.



The project open in the Timeline

NOTE ► See **Lesson 10** for more information about the automatic vs. manual project settings.

▶ Changing Workspaces

The Timeline, in which projects are edited, typically occupies the lower half of the interface. If the Timeline is not visible, you need to verify a couple of interface settings.

- ▶ Ensure that the “Show or hide the Timeline” button is activated.



- ▶ If you previously selected a different workspace, reset to the default workspace in the Window > Workspaces menu.


Reference 4.2

Defining the Primary Storyline


Every project in Final Cut Pro is based around the primary storyline, identified by the dark stripe across the Timeline. The primary storyline contains the clips that drive your project. For a documentary, a combination of sound bites and a narrator’s VO could constitute the primary storyline. For a project that starts with a montage, you could consider placing the music intro in the storyline, followed by the on-camera host. The primary storyline is flexible content-wise.

By default, clips in the primary storyline interact with each other and incoming clips. This interaction is similar to that of two magnets: attraction or repulsion.

When you drag a new clip from the Browser to the far right of the project, that clip is attracted to the end of the primary storyline, and “magnetically” snaps to the preceding clip.



Dragging a clip to the end of a project




The storyline appends the clip to the project.


Dragging a clip between two existing clips creates a repulsion that pushes the existing clips far enough apart to insert the new clip.



Dragging a clip to a project for insertion between two storyline clips



Positioning the clip on the storyline clips reveals an insert bar, and a gap for the clip is created.



The clip is wedged between the storyline clips.

These two behaviors form the basic concepts of the magnetic storyline: As you add clips, shift clips around to change their order, or remove clips, the magnetic storyline keeps the clips snapped together, ensuring that the clips play back-to-back in a continuous stream.

Knowing the basic concepts of a primary storyline as the magnetic backbone of a project, you can start assembling your first edit.

Exercise 4.2.1

Appending the Primary Storyline

You are ready to edit your first clips into the Lifted Vignette project. Because this project is sound bite–driven, you will edit the sound bites into the primary storyline. Let’s first alter the interface so you can see as many clips and notes as possible in the Browser.

- 1 If necessary, in the Browser, select the list view.
- 2 With the Interview collection selected in the Primary Media event, click the Hide Libraries sidebar button.




- 3 Drag the Timeline divider down to create more vertical room in the Browser.



You can drag the area dividers to vertically expand or contract the areas above and below the divider.


Mitch provided a couple of great sound bites to open with during his interview when he talked about his passion for flying. You logged those gems with a favorite rating and included the word “passion” in the notes field. Rather than opening each clip here in list view to visually scan your notes for the word “passion” and an assigned rating of favorite, you’ll use the search field.

- 4 In the Browser, click the magnifying glass, then type *passion* in the search field that appears.




As you begin to type, the Browser updates immediately with the matching results:

MVI_1042 and **MVI_1055**.



NOTE ► If you see only the clips' names listed, click the disclosure triangle next to each name to reveal additional metadata.

- In the Browser select **MVI_1042**, and skim the clip to review the green, marked favorite.



As you skim the clip, notice that its audio is pitch corrected, which allows you to quickly review the clip's contents at variable speeds while maintaining the aural clarity of its contents.


NOTE ► You may also review the selected favorite by pressing the navigation controls: the **Spacebar**, the **J**, **K**, **L** keys, and the **/** (slash) key.

Your search results include a second clip tagged with the word “passion.”

- In the Browser, play **MVI_1055**, and review its contents.

With a little **trimming** later in the edit, both sound bites could fit back to back into your storyline. Let's edit these into the project as the first two sound bites.


- 7 In the Browser, select the favorite with the “passion when kid” note listed under **MVI_1042**.



- 8 Click the Append button, or press **E**, to add this clip selection to the project.




The clip's selection is edited into the primary storyline. The E stands for “End.” No matter where the skimmer or playhead is currently located in the project, you can press E to quickly edit the active Browser selection to the end of the storyline.




Currently, the playhead is at the end of **MVI_1042**. The playhead jumps to the end of the clip you append edited to the project. This default playhead behavior in Final Cut Pro anticipates your next edit. But what happens if you move the playhead before the next append edit? Let's find out.

- 9 Move the playhead to the left by clicking the empty gray area above **MVI_1042**.



This cues the playhead over **MVI_1042**, which you can see in the Viewer. With the next clip, you will perform an append edit with the playhead placed in the middle of **MVI_1042** and observe the results.

NOTE ▶ Depending on your display’s resolution, your clip may appear short and shoved to the left of the interface. After clicking to move the playhead in the previous step, press **Shift-Z** to fit the project within the Timeline. Alternatively, you could drag the Zoom slider in the Timeline’s Clip Appearance pop-up to change the zoom setting.



10 Returning to the Browser, notice the Used entry under **MVI_1042**.


▼ MVI_1042		01:31:15:14	01:31:25:21
~ 5D-7D, Interview		01:31:15:14	01:31:25:21
📺 Medium Shot, One Person		01:31:15:14	01:31:25:21
★ Favorite	passion when kid	01:31:15:20	01:31:18:20
✓ Used		01:31:15:20	01:31:18:20

The Used listing identifies the clip’s selection used in the open project. As that was the only favorite for that clip, you will go to the next clip for the next edit.

11 In the Browser, select the “really the passion is” favorite in the **MVI_1055** clip, and then press **E** to append this clip to the end of the storyline.

▼ MVI_1055	
📺 Medium Shot, One Person	
~ 5D-7D, Interview	
★ Favorite	really the passion is

Clip selected in the Browser



Clip append edited into the primary storyline


That was quick. The clip was edited to the end of the storyline immediately following **MVI_1042**. The playhead's position had no impact on the append edit. You are two sound bites into the edit with several more to go. You could continue with this one-at-a-time approach to editing, but Final Cut Pro offers a slightly faster edit method.

NOTE ► If the previous edit caused the **MVI_1042** clip to not be visible in the Timeline, you need to change the zoom setting. Click once in the Timeline, and press **Shift-Z** or adjust the Zoom control in the Timeline's Clip Appearance pop-up.


4.2.1-A Appending a Batch Edit to the Primary Storyline

You can use the append function to edit more than one clip at a time into the primary storyline. As you are building your first edit, you will be looking for your next clip in the Browser. Append allows you to remain in the Browser and storyboard the next few clips with one edit. This batch editing technique is a fast and simple way to edit several clips into your project at once.

- 1 In the Browser, switch to filmstrip view.



Currently, you are looking at two clips that were identified in your earlier search. You'll need to clear the search field to reveal the rest of the sound bites.



- 2 In the Browser, click the Reset button (X) in the search field to clear the previous search.



The remaining clips in the Interview collection appear. You may select multiple sound bites to append at one time, and the order in which you select the clips is the order they will be edited into the project.

- 3 If desired, you may increase the size of the filmstrips by changing the Clip Appearance's Clip Height slider.



- 4 In the Browser's filmstrip view, click the first green range in **MVI_1043**.



The favorites you marked earlier appear as green stripes that you may use to quickly select the favorited ranges.

- 5 With the first favorite in **MVI_1043** selected, Command-click the previously marked favorites of the following clips in this order to add them to the selection: **MVI_1046**, **MVI_1045**, and **MVI_1044**.



- 6 Press **E** to perform an append edit.



The clips appear at the end of the project in the same order you selected them in the Browser.

- 7 To see the entire project within the Timeline, click once in the Timeline gray area and press **Shift-Z**.


► How Did Final Cut Pro Know Where to Put the Clips?

If you have prior editing experience, you may have noticed that you didn't need to assign tracks, position the playhead, or set a start point to make this edit. The append edit function efficiently takes legacy overwrite editing to the next level.

4.2.1-B Playing the Project

To play the project, you may press the Home key to cue the playhead to the beginning of the Timeline, but on Apple Wireless Keyboards and laptops, the Home key is not labeled.

- 1 With the Timeline active, press the Home key or **Fn-Left Arrow** to simulate pressing the Home key.



The playhead is now cued to the beginning of the project.

- 2 Press the **Spacebar** to start playback.

Playback will stop when the playhead reaches the end of the project.


NOTE ► When loop playback is enabled (by choosing **View > Playback > Loop Playback**), your project will not stop automatically but will repeat over and over until you manually stop playback.

Exercise 4.2.2

Rearranging Clips in the Primary Storyline

The sound bites don't quite flow yet. It's time to rearrange them into an order that more fully supports your storyline. Working in a storyline makes such changes incredibly easy. Just drag a clip to a new location in the Timeline, pause for the interface to preview the results, and then release the mouse button.

- 1 In the project, select the fourth clip, **MVI_1046**.



The playhead must be located over this clip to preview it. Your playhead is currently located at the end of the project. You do not need to move the playhead because the skimmer relocates the playhead if the skimmer is visible when you start playback.

- 2 Move the mouse pointer slightly to verify that the skimmer is active.

The skimmer extends vertically up to the timestrip across the Timeline pane, the same as the playhead; however, the skimmer does not have a marker on top as does the playhead.




Skimmer (left) compared to playhead (right)

- 3 Cue the skimmer by moving the mouse toward the beginning of **MVI_1046**. Press the **Spacebar** to play the clip.


The playhead relocates to the skimmer's position and the clip plays. **MVI_1046** starts with Mitch saying, "At the end of the day." It sounds as if that phrase should be placed nearer the end of the storyline.

- 4 Drag **MVI_1046** toward the end of the storyline, but don't release the mouse button just yet.

- 5 Position the clip so that a blue clip box appears in the primary storyline after **MVI_1044**. Release the mouse button.





MVI_1046 is edited in as the last clip in your storyline.




Some extra words, phrases, and syllables remain in your clips. One clip may cut Mitch off too early. That's OK. We'll trim those troubled frames later in this lesson. For now, let's try moving another clip in the storyline.

- 6 Locate **MVI_1044**, which is now the second clip from the end of the project. Drag the clip between **MVI_1043** and **MVI_1045**.



As you drag **MVI_1044** between the two clips, an insert bar appears. If you continue to hold the clip in that position, **MVI_1045** will slide to the right to allow **MVI_1044** to drop into place. The magnetic storyline enables these quick reorganizing edits as you explore your story flow.



NOTE ► When you drag a clip, the delta, or timing change, of the clip's position in the Timeline is displayed above the clip. When you perform these exercises, your delta values may vary from those specified in the book due to slight variances in selected clip ranges.

► Checkpoint 4.2.2

Refer to Appendix C for details on reviewing a Checkpoint.


Reference 4.3

Modifying Clips in the Primary Storyline

When reviewing the storyline's flow, an additional clip or two may fill in story gaps. The flow may be disrupted by extra words or sounds at the start or end of a sound bite. Thanks to the magnetic properties of the storyline, the solutions to these problems are painless.

The append edit you performed added the selected Browser clip or clips to the end of the storyline. Sometimes a clip must be placed between those appended storyline clips. In Exercise 4.2.2, you wedged **MVI_1044** between **MVI_1043** and **MVI_1045** when rearranging the clip order in the primary storyline. This procedure is formally called an *insert edit*. Browser clips may be insert edited or wedged between two storyline clips, thereby placing additional content in the middle of an existing storyline.

After the storyline clips are in order, you may need to finesse the content to enhance your story flow. The trimming tools allow you to remove or add an extra breath, sound, word, or movement within a clip. Final Cut Pro includes several trimming tools. The basic trim tool covered in this lesson is called *ripple trim*.




The ripple trim allows you to remove media from a project clip, frame by frame if desired. The ripple trim also allows you to insert media to a project clip.

Whether you're performing an insert edit or a ripple trim in the storyline, the adjoining clips in the storyline stick together. Remove a clip and the subsequent clips move forward and hook up to the previous clip. Insert a clip between others and the subsequent clips move right to make room.

Exercise 4.3.1 Performing Insert Edits

When you dragged **MVI_1044** to its new location, you performed an insert edit. Clips to the right of the new clip slid right to make room, while clips to the left retained their positions. Previously, you marked another sound bite as a select that needs to be added to the project. In this exercise, you will insert this clip into the project, but without dragging it.

- 1 In the Browser, switch to filmstrip view, and then perform a search for “awe” in the Interview Keyword Collection.




The search identifies one clip, **MVI_1043**. The filmstrip displays two favorite ranges within the clip.

- 2 In the Browser, select (by clicking the second green stripe) then skim the second favorite of **MVI_1043**.



Depending on your display's resolution, you may have difficulty skimming the clip at a speed that makes the audio intelligible. Expanding the filmstrip by zooming in will help you skim the clip.

- 3 In the Clip Appearance pop-up, drag the Zoom slider to the right until the zoom scale reads 5s.



- 4 Skim the second favorite in **MVI_1043** again.




At this scale setting, each thumbnail in the filmstrip represents five seconds of source media. This time you can identify the sound bites by listening to the pitch-corrected audio. Notice the torn edge on the left end of the row. That indicates the clip continues from the previous line of thumbnails. The start and end of the clip are represented by a solid edge on the filmstrip.

- 5 In the clip's filmstrip, ensure that the second favorite range is selected.

Next, you need to choose where this clip belongs in the storyline by cueing the playhead to the desired location.

- 6 In the Timeline, skim between **MVI_1043** and **MVI_1044**.



MVI_1043 must be edited between those two clips with frame accuracy. To help you precisely place the playhead on the edit point between the two clips, you can turn on snapping.

At the upper right of the Timeline locate the Skimming, Audio Skimming, Audio Soloing, and Snapping buttons.


- 7 If necessary, click the Snapping button to turn on snapping, or press **N**.




- 8 Skim over several clips and edit points within the project.

Notice that the skimmer jumps to the edit points. To prepare for the insert edit, you need to cue the playhead to the desired edit point.

- 9 Snap the skimmer to the edit point between **MVI_1043** and **MVI_1044**, then click to cue the playhead here.



NOTE ► The edit point between is the start frame of the right clip (the starting clip), and not the end frame of the left clip (the ending clip). A “start bracket” is overlaid on the clip to visually identify that the playhead is on the start frame.



The “L” bracket indicates this frame is the start point.

- 10 In the Browser, verify that the **MVI_1043**'s second range is still selected.
- 11 In the Timeline toolbar, click the Insert edit button, or press **W**.



The second select of **MVI_1043** is placed into the project between the two storyline clips, and a missing sound bite becomes part of the storyline.



Exercise 4.3.2

Rippling the Primary Storyline

When you pulled your select sound bites in Lesson 3, you included some extraneous material. (The reason you left some extra material in your favorites will become apparent during this exercise.) However, everyday editing is all about trimming down to create a more concise story, or padding the story to extend its length. You will now learn how to use ripple trimming to remove that extra content, and also how to reinsert content when you trim off too much.


NOTE ► Because Final Cut Pro is context sensitive, you may not have to activate the Trim tool. The Select tool automatically switches to the Trim tool's ripple function when necessary.

- 1 Locate the skimmer toward the end of **MVI_1055**, the second clip in the project. Play the end of this clip to review what Mitch says.

Some extra content, where Mitch says, “Uh, so,” needs to be trimmed, leaving a new end point after Mitch says, “Whole new look.”

Before you perform this bit of clip trimming, zoom in on the edit so that you may operate the tools with greater precision.

- 2 With your skimmer or playhead cued around the end of **MVI_1055**, press **Command-=** (equals sign) to zoom in to the Timeline.



As you zoom, the thumbnails and waveforms expand to reveal where the trim should occur. The “uhh, so” phrase is displayed as the peaks of waveforms at the end of the clip. You’ll remove those hesitations. In addition, Mitch takes a breath after ending the preceding sentence with the word “look.” Examining the audio waveforms, you can see a drop in the waveforms after he enunciates the “k” in “look.” You’ll cue the playhead after the “k,” and then use the ripple trim function to remove the breath and “uhh, so” material.

- 3 Identify the new end point by cueing the playhead after Mitch says the “k” in “look” and before Mitch breathes and says, “uhh, so” at the end of **MVI_1055**.




To set the playhead precisely, you can press the **J K L** keys and the **Left Arrow** and **Right Arrow** keys. Locating the playhead at the desired trim point allows you to use snapping to make an exact trim. You’ll perform this ripple trim with the default Select tool. This tool automatically changes function based on its location in the Timeline.


- 4 In the Tools pop-up menu in the Timeline, verify that the Select tool is chosen, or press **A**.



- 5 In the Timeline, place the mouse pointer over the end point of the clip.




- 6 Without clicking, slowly move the mouse pointer back and forth across the edit point between the two clips’ edit points.




Notice how the pointer icon changes as the mouse pointer moves from one side of the edit to the other. The changing icon indicates that the Select tool automatically becomes the ripple trim tool.

The ripple trim icon has a small filmstrip that always points toward the clip you will trim. Because you want to change the end point of **MVI_1055**, the filmstrip must point left toward the clip.

- 7 With the ripple trim's filmstrip pointing toward the left, drag the end of the clip until it snaps to the playhead.



Before



After dragging the edit point to the left, it snaps to the playhead.

- 8 Review the edit you completed by playing this portion of the Timeline.


You easily changed the end point of the clip, thereby removing the extraneous content. The ripple trim also moved all the following clips earlier in the Timeline to fill in for the removed content. Now you'll trim off the start of the same clip.

- 9 To quickly scroll left in the project and jump to the start point of **MVI_1055**, press the **Up Arrow** key once, or twice if necessary. Also, you may want to zoom out a little in your Timeline view by pressing **Command--** (minus).




Pressing the **Up Arrow** key cues the playhead to the previous edit point in the project. Conversely, pressing the **Down Arrow** key cues the playhead to the next edit point.

- 10 Play the start of **MVI_1055** to identify the new start point before Mitch says, “And really the passion.”




You will cue the playhead between Mitch saying, “of film” and “And really.” Ideally, you will find a frame for an edit that has the interview subject appearing with eyes open and mouth closed or nearly closed. In this clip, you’ll find just such a frame as Mitch finishes the word “film.”

- 11 With the playhead parked at the new start point’s location, 00:00:05:01, place the Select tool over the clip’s current start point.



This time, the filmstrip of the ripple trim pointer will point to the right toward **MVI_1055**.

- 12 Drag the start point of **MVI_1055** and snap it to the playhead.



When ripple trimming a start point, you may notice that the clip to the left appears to move. However, the clip did not move because it still starts at 0:00. As you trimmed content from the beginning of **MVI_1055**, the clip’s duration shortened, the following clips rippled left in time, and the Timeline timecode shifted accordingly.

4.3.2-A Using the Keyboard to Ripple Trim an End Point

Sometimes the mouse or trackpad does not offer sufficiently fine control to perform a trim without setting an extreme view or altering your System Preferences. Fortunately, you can use keyboard shortcuts for greater precision.

- 1 Press **Command--** (minus sign) once or twice to zoom out in the Timeline view. Locate the end point of the second, shorter **MVI_1043** clip. Cue the playhead to timecode 00:00:45:16 before Mitch utters an extraneous “so.”



Because you have heard this interview already, you know that Mitch runs words and sentences together, thereby making this edit more difficult. Let’s turn to keyboard shortcuts to help trim this clip.

- 2 With the filmstrip icon pointing toward the left, select the end point of the second **MVI_1043** clip.



With the end point selected, you can use keyboard shortcuts to trim the clip one frame at a time. Note the timecode of the playhead’s location. As you perform this trim edit, the playhead jumps to the point you’re trimming rather than staying anchored as it did while dragging the edit point. That means you will trim the point with the keyboard while monitoring the timecode displayed beneath the Viewer to accurately trim this edit.

- 3 Press the **,** (comma) key multiple times to ripple trim, removing content frame by frame, until the timecode displays 00:00:45:16.
- 4 If necessary, press the **.** (period) key multiple times to insert content frame by frame.
- 5 Skim to just before the edit point, and then play back the project to check your results.

Did you remove the word “so” and not trim off the end of “experiencing”? Depending on your earlier selection of this sound bite, you may have to remove about 10 frames of material. This trim edit will take a few tries to perfect.

▶ **More Keyboard, Less Mouse**

Using the following keyboard shortcuts will have you reaching for the mouse less often:

- ▶ Pressing the Up Arrow or Down Arrow keys jumps the playhead to the edit point for trimming.
- ▶ Pressing the [(Left Bracket) key selects the end point of the clip to the left; pressing the] (Right Bracket) key selects the start point of the clip to the right.
- ▶ Pressing the , (comma) key nudges the selection left by 1 frame; pressing the . (period) key nudges the selection right by 1 frame.
- ▶ Pressing Shift-? (question mark) cues the playhead two seconds back and then plays to the edit and two seconds beyond.

- 6** Proceed through the project, removing extraneous clip content. You’ll need to remove breaths at the start or end of clips in addition to any instances of “so” or “uhh.” When you’re finished, the project should resemble the following table:

Lifted Vignette Edit in Progress

Clip	Project timecode	Start dialogue	End dialogue
MVI_1042	00:00:00:00	Flying is	a little kid
MVI_1055	00:00:03:00	And really the	whole new look
MVI_1043	00:00:20:08	One thing that	what we’re shooting
MVI_1043	00:00:37:15	As I’m technically	what we’re experiencing
MVI_1044	00:00:44:13	You know it’s	opener for me
MVI_1045	00:00:50:23	Every time we may be	see or capture
MVI_1046	00:01:00:14	At the end of the day	adventure I went on

NOTE ► You may hear a slight click or pop on some of your edits. You'll learn to resolve those errors later in this lesson.



Lifted Vignette in progress


► Checkpoint 4.3.2

Refer to Appendix C for details on reviewing a Checkpoint.

Reference 4.4 Timing the Primary Storyline

Every edit in a project is based upon the primary storyline. Up to this point, the concern has been to place the select sound bites into the project and organize them to reflect the story structure. Now that the structure has been established, the task switches to adjusting the timing and pacing. The sound bites should not be a hailstorm of thoughts spewed at the viewer, but should flow like everyday conversation.

The first technique to pacing the sound bites involves a gap clip, which is an empty clip container in the Timeline. Gap clips may be applied as placeholders until additional material arrives, such as more B-roll content, clips from a hard-to-schedule interview, or a late shipment of second unit content. Gap clips are also used as the spaces, pauses, and breaths that enhance your story flow.



The second technique to pacing the sound bites involves removing segments of a clip or entire clips. The Blade tool segments a clip to remove one or more clip ranges from the project. Each time you blade a clip, you create a **through edit**.



A through edit marks the clip into segments without breaking the clip into two physical clips. If you blade that clip a second time, you mark it into three segments with two through edits. You can rejoin these segments if you inadvertently blade the wrong frame. The repair is called a join through edit.


When you are ready to delete a segment, you can do so in one of two ways. Simply pressing the Delete key performs a ripple delete. The selected clip segment is removed, and the subsequent clips slide left to occupy the Timeline position of the deleted segment.



Blade to segment unwanted content.



Select segment for removal.



Press Delete to ripple delete.


The second delete method applies a replace with gap edit. This deletion, performed by pressing Shift-Delete, removes the selected segment and leaves a gap that occupies its former position in the Timeline. As a result, the following clips do not ripple, but remain in place. This edit is often referred to as a lift edit.



Blade to segment unwanted content.



Select segment for removal.




Press Shift-Delete to replace segment with a gap clip.

Exercise 4.4.1 Inserting a Gap Clip


Currently, your project sound bites are sequenced very tightly. This breathless stream of consciousness does not lend itself to clear storytelling. Let's separate some of these clips so the storytelling relaxes a bit.

- 1 Press the Up Arrow or Down Arrow keys to park the playhead between **MVI_1042** and **MVI_1055**.




Placing a gap clip here allows Mitch to take a breath. Don't worry about the visual break. The B-roll clips you will add later can fill in those pauses.

- 2 To insert a gap clip, choose Edit > Insert Generator > Gap, or press **Option-W**.




A three-second clip is inserted between the two clips at the playhead location. Those three seconds may be a little too long for this edit. As with any other clip, you may ripple trim a gap clip to adjust its duration.

- Place the mouse pointer over the end point of the gap clip. Ensure that the ripple trim's filmstrip is pointing left, and then drag the end point to the left.



As you drag, the clip's new duration and the delta (the amount you have changed the clip's duration while dragging) appears above the edit.


- Trim the gap clip to a new duration of one second, thereby removing two seconds from its length.



- Skim to just before the gap clip, and play back to review the edit.

That's not bad. It allows just a moment for your audience to understand the who, what, and where of Mitch's comments. Let's repeat that for the next edit.

- Advance the playhead to the next edit by pressing the Down Arrow key.



The playhead jumps to the edit between **MVI_1055** and **MVI_1043**.

Mitch is offering more details in **MVI_1043**, so placing a longer gap before this clip may help transition the audience into this sound bite.

- 7 With the playhead cued, press Option-W to insert a three-second gap clip.



- 8 Review the edit.

Now that you have silence between the two sound bites, you may discover the breaths that Mitch takes at the start and end of **MVI_1055**. Did you remove those already?

- 9 If necessary, adjust the end or start points surrounding the gap clips to tidy up the trimmed clips.


You are listening for extra syllables or breaths to remove. You are also listening for places where you may have trimmed too much. Does Mitch get a chance to enunciate the “k” in “look” before you cut him off? You may need to add back a frame or two to avoid an **upcut**.

These gap clips won’t necessarily remain at the durations you just set. They may flex as you continue to build the story...or tear out parts of it.

Exercise 4.4.2 Blading and Deleting

The Blade tool allows you to quickly break a clip into smaller sections to be moved elsewhere or completely removed from your story. In the first instance of **MVI_1043**, some pauses in Mitch’s interview can be removed to tighten the edit.


- 1 Play the project, and locate the point at which Mitch says, “And filming at the same time, (breath) uhhm,” in the first **MVI_1043**. This occurs about four seconds into the clip.



- 2 Cue the playhead after the breath and before the “uhhm” at timecode 00:00:28:16.

You will blade the clip here to divide it into two segments. You will then blade the clip again after the “uhhm” to separate this sound from the good content that occurs before and after it.

- 3 From the Tools pop-up menu, choose the Blade tool, or press **B**.



- 4 With **snapping** turned on, move the Blade tool over the **MVI_1043** clip and toward the playhead until it snaps to the playhead.



- 5 With the Blade tool snapped to the playhead, click to segment the clip at this frame.



You can choose the Blade tool while still using the Select tool. Let's switch to the Select tool to blade on the other side of the “uhhm.”

- 6 Press **A** to choose the Select tool.

A keyboard shortcut activates the Select tool's built-in blade. The blade cuts through the clip at the skimmer or playhead. For precision, you'll advance the playhead, then activate the Select tool's blade command.

- 7 Press the Right Arrow key—and the Left Arrow key, if necessary—to advance the playhead to after the “uhhm” and just as Mitch is starting the word “you’re” at time-code 00:00:29:13.



- 8 Without moving the mouse, press **Command-B** to blade the clip at the playhead.




The single clip is now three segments. You need to remove the middle segment. Remember, there are two types of clip deletion. Let’s use both to see the difference between them.

- 9 Select the middle clip segment, and press Shift-Delete.



Before




After

The clip segment is replaced with a gap clip. The gap clip locked the storyline clips to the right in place so no clips slide in the Timeline.

- 10 Press **Command-Z** to undo the previous edit.



- 11 Reselect the “uhhm” clip segment, if necessary, and press Delete.



The segment is removed, and the following clips slide to the left to replace it.

- 12 Play the edit and listen to the results.

The new, second **MVI_1043** might sound like the first word is cut off a bit or still have a bit of the “uhh” remaining. In addition to that concern, does the breath at the end of the first **MVI_1043** distract and call attention to the edit? Or does the breath naturally flow into the second **MVI_1043** clip?

- 13 Using the ripple trim techniques you’ve learned, clean up the edit to smooth the audio transitions between these two new neighbors.

You may first want to remove the breath at the end of the first, or ending, clip. You may also need to insert or remove frames to the start point of the second clip, the starting clip. Refer to Using the Keyboard to Ripple Trim an End Point in this lesson to review ripple trimming.

Visually, this edit is a **jump cut**. A jump cut occurs when similar but nonsynchronized content appears to jump in space and time at an edit point. The B-roll you will add in a few minutes will hide this error.

▶ Checkpoint 4.4.2


Refer to Appendix C for details on reviewing a Checkpoint.

Exercise 4.4.3

Joining a Through Edit


In the previous exercise, you used the Blade and Select tools to divide a clip into segments. The resulting through edits may be easily repaired if you made them in error or change your mind about splitting up a clip.

- 1 In your project, locate **MVI_1044**, and then press **Command-=** (equals) to zoom in.
- 2 In the Tools pop-up menu, choose the Blade tool, or press **B**.
- 3 Skim toward the end of the clip just after Mitch says, “New” and then pauses.




The audio waveform displays a definite pause, represented as a “valley” in the waveform.

- 4 Click in this waveform valley to blade the clip and create a through edit.




The through edit point appears as a dashed line. Because we really did not want to split this clip, you are going to rejoin the through edit.

- 5 Press **A** to choose the Select tool.
- 6 With the Select tool, click the through edit point (dashed line) to select it.



Only one side of the through edit will be selected with the Select tool active. That’s OK.

7 Press Delete.



The through edit point is removed and the two segments are rejoined into one clip.


Exercise 4.4.4 Refining Some Sound Bite Edits

Before progressing to the next layers of B-roll and music, let's polish the “technically flying in awe” section of the project by adjusting the sound bites' contents and pacing.


Currently, the second instance of **MVI_1043** ends with the word “shooting,” which does not flow smoothly into the next clip. This occurs at roughly the 40-second mark in the Timeline.

Earlier, you trimmed off Mitch saying, “so.” You could use that here to blend into the next sound bite.

- 1 Place the skimmer so that the ripple trim appears with the filmstrip pointing left at the end of the second instance of **MVI_1043**.



- 2 Ripple trim the end point of the second instance of **MVI_1043** to the right to insert roughly 11 frames of content.



3 Review the edit

That created a nice story flow.

The end of the third instance of **MVI_1043** will be a little tougher to get a clean ending—that is, a natural-sounding ending—because you are actually cutting off the sound bite in mid-sentence. The clip’s current end point is at “experiencing.” Let’s trim that end point to a little earlier in the sentence to try a different ending.

4 Ripple trim the end point of the third instance of **MVI_1043** to the left roughly one second.




The clip should now end after Mitch says “filming,” and most likely has an extra syllable or two that need to be removed.

5 With the end point still selected, press the **comma** (,) and **period** (.) keys to nudge trim frame by frame, refining the edit point.

This trim edit may take you a few moments to locate the right frame for the end point. That frame is going to be on the “g” of “filming.” The repetition you must perform in fine-tuning the edit point is common in the art of editing: making frame-by-frame adjustments to remove only a few words or syllables.

NOTE ► Review your edit by pressing **Shift-?**. Then press , (comma) or . (period) to nudge the edit earlier or later.


As for **MVI_1044** and **MVI_1045**, these two get the axe. For timing purposes, let’s leave these out of the story for now.



- 6 Select both clips, and press **Shift-Delete** to replace both clips with a gap clip.




- 7 Trim the gap clip to a duration of three seconds.



Trimming creates room for a natural sound break and music swell before Mitch segues into the next sound bite.

With these edits in place, you have built the sound bite foundation for your project. Take a moment to review your story.



Lifted Vignette's sound bite-driven primary storyline


▶ **Checkpoint 4.4.4**

Refer to Appendix C for details on reviewing a Checkpoint.

Reference 4.5


Editing Above the Primary Storyline

The primary storyline has established the content foundation, timing, and pacing for the project. It's time to see what those sound bites are discussing. At this stage, you'll edit B-roll clips into the project by placing them above the primary storyline, and connected to it.



With these B-roll edits, your editing approach changes to a “lane” above the primary storyline. Clips in a lane outside the primary storyline are vertically connected back to the primary storyline, thereby establishing a synchronized relationship in this project between the sound bite and the B-roll. When Mitch says “helicopter,” your audience sees a helicopter.

These connections keep clips synchronized even when a ripple edit occurs in the primary storyline. An upstream ripple that shifts a sound bite’s timing in the project will also shift the B-roll clips connected to that sound bite. The connection ensures that the sync is maintained by shifting the connected clips the same amount. You first establish the connection and then Final Cut Pro maintains it so your focus may be on the rest of the story edit.



In the following exercises, you will connect B-roll clips to the sound bite–driven primary storyline you’ve already edited. Then, you will trim these connected clips and observe their unique trimming behaviors.

Exercise 4.5.1


Adding and Trimming Connected B-roll

B-roll is the editor’s friend. Sometimes referred to as **cutaways**, B-roll clips allow you to smooth out discontinuity in your primary storyline, and in this project, they will help you hide the jump cuts and soften the audio edits made to the sound bites. Furthermore, good B-roll content may also include great natural sound audio, or **nats**. An editor can use the nats to cover a tight audio edit, such as the one you now have with the word “filming.”


Let's start by resetting the interface and searching those keywords you applied earlier to quickly locate B-roll of a hangar door opening.

NOTE ► For the purpose of training, we'll start at the beginning of the project and continue forward by adding B-roll content. However, your workflow could begin by adding B-roll anywhere within your project.

- 1 If necessary, reset the interface by choosing the Default Workspace from the Window > Workspaces menu, or press **Command-0**.
- 2 In the Lifted library's Primary Media event, select the Hangar Keyword Collection.
To ensure that you are seeing all the hangar clips, double-check the Browser's sorting and filtering options.
- 3 In the Browser, from the pop-up menu, choose Hide Rejected, and then ensure that the search field is clear of any criteria.




- 4 From the Clip Appearance pop-up menu in the Browser, set the Zoom control to All, the Group By pop-up to None, and Sort By to Name.




With the environment properly set up, you will search for the first clip of the hangar door opening.

- 5 In the Lifted library, verify that the four clips are displayed with the Hangar Keyword Collection selected.



The first clip you want is **DN_9390**.

- 6 Skim the clip to familiarize yourself with its contents.




This clip starts in the dark before the hangar door opens. Mitch walks in from the left, crossing to center to preflight the helicopter. The clip is currently 13 seconds long. Let's trim the clip down before connecting it to the primary storyline.

- 7 In **DN_9390**, mark a start point by pressing the **I** key after the director says, "Action." Your start point should be at 1:50:43:00.



- 8 Mark an end point by pressing the **O** key after Mitch has dropped down to inspect the camera. Your end point should be at 1:50:49:06.



The clip is ready to edit into the project.

- 9 In the Lifted Vignette project, cue the playhead to the beginning of the Timeline.



Cueing the playhead tells Final Cut Pro where the hangar clip belongs time-wise in the Timeline. In this case, locating that point is easy because it will be the first shot in the project.


You will edit this clip into the project so that we hear Mitch speaking while watching the hangar clip. You can do this by connecting the video clip in a higher lane.

- 10 In the toolbar, click the Connect button, or press **Q**.



NOTE ► If the Connect button is dimmed, reselect the Browser clip.

The hangar clip is stacked into a lane above the first sound bite. Let's review the edit to see the results.



- 11 Cue the playhead to the beginning of the project, and play the Timeline.

You see the hangar and hear the hangar motor while also hearing Mitch's sound bite. The video hierarchy rule makes the video in a higher lane visible, while mixing and playing all the audio content in the clips.

Colorful Clips

Remember the roles you applied to the Browser clips at the end of Lesson 3? Each role and subrole is assigned a customizable color that tints the clip representations in the Timeline. As you progress through this book's exercises, the role each clip plays within your project, especially the audio role, will be visually apparent. Video clips with attached audio are tinted according to the assigned audio role. You'll learn more about the power of roles in Lesson 6.

4.5.1-A Connecting the Second B-roll Clip

As you can see, the [DN_9390](#) clip extends over the second sound bite. That's OK for now, so let's look at the next B-roll clip to add to the project.

- 1 In the Browser, skim [DN_9465](#).



In this clip, Mitch enters the hangar from the right side, approaches the helicopter, and then kneels to inspect the camera. Although Mitch enters from the opposite side of the hangar, you can set a start point as he's kneeling to inspect the camera. With finessing, this clip can be made to match the previous shot of Mitch approaching the helicopter.

- 2 In the Browser, mark a start point at 2:37:33:17 when Mitch has started to kneel to inspect the camera.




Now you need to locate the Timeline point at which this clip can be matched to the previous edit.

- 3 Cue the project playhead over **DN_9390** where Mitch has started to kneel at the helicopter's camera at 00:00:05:07.



- 4 Click the Connect button, or press **Q**, to make a connect edit.



The second B-roll clip stacks into a higher lane above the previous edit. When two connected clips will impact one another, Final Cut Pro automatically avoids a “clip collision” by moving one of the clips to a different lane. The edit still cuts to the second B-roll clip at the connection point.

- 5 Review the edit by skimming back to the middle of **DN_9390**, and then pressing **L**.

Does the action of Mitch kneeling flow from one clip to the other? If not, this situation is easily corrected.

- 6 In the Timeline, select **DN_9465**. Press the **,** (comma) or **.** (period) key to nudge the clip left or right, respectively, until the action of Mitch kneeling appears to be one smooth movement.

NOTE ► In addition to the **comma** and **period** key shortcuts used to nudge the selected clip, you can also try this technique: Cue your playhead to the start of **DN_9465**, nudge the clip, then press Shift-? (question mark) to review the edit using the Play Around command.


Once **DN_9465** is in place, you can ripple trim the end of **DN_9390** to lower **DN_9465** into the same lane. Although the video plays as expected, the overlapping audio may not be desirable.

- 7 Ensure that **snapping** is turned on (the Snapping button in the Timeline is blue).



NOTE ▶ Press **N** to turn snapping on and off.

- 8 Drag the end point of **DN_9390** to the left until **DN_9465** drops into the same lane.




With **snapping** turned on, the end point of **DN_9390** will snap to the start point of **DN_9465**.

Notice that **DN_9465** extends down the Timeline. We'll trim that clip after connecting a third B-roll clip.

4.5.1-B Connecting the Third B-roll Clip


Let's connect one more B-roll clip before analyzing what you've created.

- 1 In the project, cue the playhead over clip **MVI_1055** when Mitch says "nobody" at 00:00:09:02.




You're telling Final Cut Pro to make a precise start edit based upon the contents of the primary storyline. Now let's find a clip for that edit.


- 2 In the Browser, locate clip **DN_9470**, a close-up of Mitch inspecting the camera.
- 3 Mark a start point about halfway through the clip at 2:41:27:21 as Mitch turns the camera counterclockwise.



- 4 Set an end point as Mitch's face moves halfway behind the camera at 2:41:30:06.




- 5 Press **Q** to connect this clip to the primary storyline at the playhead.



Although the edit cuts nicely to the close-up, in your Timeline, **DN_9465** resumes playing after the close-up ends.

- 6 Trim the end point of **DN_9465** to the start of **DN_9470** so that the two B-roll clips are sequential.



Now **DN_9465** doesn't give an encore performance.

Exercise 4.5.2


Understanding Connected Clip Sync and Trimming Behaviors

Each of the three B-roll clips has a vertical connection point that synchronizes it to the primary storyline. These vertical relationships remain intact even when you alter the primary storyline. Let's see how this works.


In the project, notice the connection points that anchor the B-roll clips to the sound bites in the primary storyline. Those are the connections you established by making a connect edit.



If a sound bite moves within the Timeline, that movement will also be applied to any connected clips.



- 1 Drag the middle of **MVI_1042** to the right until the clip is located after **MVI_1055**.




Notice that **DN_9390** was relocated with the sound bite, and the other two B-roll clips also slid to the left to remain synchronized with their connected sound bite.

- 2 Press **Command-Z** to undo the previous edit.

Connected clips are still independent clips that can be moved away from their synchronized, primary storyline clip.

- 3 Drag the middle of **DN_9465** to the right until it connects after **DN_9470**.



DN_9465 establishes a new connection with the primary storyline.

NOTE ▶ Every clip outside the primary storyline must connect to the primary storyline.


- 4 Press **Command-Z** to undo the edit.

Final Cut Pro will maintain the synchronization of connected clips until you change the connection point or tell Final Cut Pro to ignore the connection.


4.5.2-A Overriding the Connection

After connecting your B-roll clips, you may realize that you need to move a sound bite elsewhere in the primary storyline, but also need to leave the connected B-roll clips in place. The B-roll story you've created works great, but you've discovered your project is running too long. Or you may want to experiment with a different arrangement of the sound bites without disturbing the B-roll order. You can temporarily suspend a connected clip's sync point while adjusting the primary storyline clip.

- 1 In the project, position the mouse pointer over **MVL_1055**.



- 2 Hold down the ` (grave accent) key, and drag **MVI_1055** after the second gap clip.



When you press the grave accent key, the pointer becomes a crossed-out connection symbol. Dragging a clip while holding down the grave accent key tells Final Cut Pro to ignore any connected clips during that edit.

The **DN_9465** and the **DN_9470** B-roll clips remain in place while the sound bite is moved later in the primary storyline. When the move is completed, the **MVI_1055** sound bite slides to the right leaving behind one connected B-roll clip while reattaching to the other at a new connection point.


- 3 Press **Command-Z** to undo the edit.

Connected clips help your editing by maintaining the sync between clips you established when initially making the edit. Final Cut Pro lets you change your mind while maintaining that sync, or will sync to a different clip if you desire.

4.5.2-B Trimming Connected Clips


Unlike the sound bites in the primary storyline, connected clips are independent of other connected clips and do not have a horizontal relationship with them. As a result, performing a trim edit on a connected clip produces results different from applying a trim edit to a clip in the primary storyline.

- 1 Place the Select tool over the end point of **DN_9390**.



Notice that a filmstrip does not appear on the trim icon as it would when trimming a clip in the primary storyline. You cannot ripple trim connected clips because no horizontal relationship exists between them.

- 2 Drag the end point to the left to trim the clip.



Only **DN_9390** was affected by this trim edit.

- 3 Press **Command-Z** to undo the edit.


This default behavior gives connected clips horizontal independence. So trimming one of two adjacent connected clips will not affect the timing of the second adjacent connected clip. However, you can establish a horizontal relationship between connected clips when necessary.

Reference 4.6

Creating a Connected Storyline

When B-roll clips are connected to the primary storyline, the B-roll takes over the video storytelling of the project. When reviewing the project, you may want to shift the B-roll timing to better align the visuals with the audio-driven storyline. Because each connected clip is independent, trimming one B-roll clip does not ripple trim to affect the others. The vertical relationships of each connected clip isolates it from adjacent clips.

However, an editor may establish relationships between connected clips by placing them within a **connected storyline**. Doing so creates a horizontal relationship between the grouped connected clips, and reduces their individual vertical relationships to a single connection between the connected and primary storylines. Furthermore, by creating a connected storyline, you gain access to several trimming options, such as ripple trim.



A connected storyline is a container that is identified by a gray bar across the top of the grouped clips. This bar is the selection point when you want to apply an edit to a connected storyline rather than apply the edit to the primary storyline.

Creating a connected storyline is as simple as selecting connected clips and instructing Final Cut Pro to group them as a storyline. However, not all connected clips may be added to a group. Only connected clips that can exist in the same lane without overlapping may be converted into a connected storyline.


Exercise 4.6.1 Converting Connected Clips into a Connected Storyline

You can create a connected storyline comprising the first three B-roll clips in two easy steps.


- 1 Select the three connected B-roll clips at the start of the project.
- 2 Control-click any one of the three, and from the shortcut menu, choose Create Storyline, or press **Command-G**.



Notice the gray bar above the clips that becomes the outline of a container surrounding the clips. Now that the clips are contained in a storyline, you can ripple trim them.



- 3 Place the Select tool over the end point of **DN_9390**.



The ripple trim icon appears with the filmstrip.

- 4 Drag the end point to the left to shorten the clip, but do not release the mouse button yet.

A few things for you to notice. First, the two following B-roll clips ripple along with the trim. The storyline established a horizontal, magnetic relationship similar to the primary storyline clips.



Second, as you ripple trim the edit point, a *two-up display* appears in the Viewer. The area to the left shows the new end point of the hangar door opening clip while the right shows the existing start point of **DN_9465** recorded from under the helicopter. The two-up display allows you to see both sides of the edit so you may match the action between the two clips.




- 5 Referencing the two-up display, ripple trim the end point of **DN_9390** appearing on the left to match the action appearing on the right in the Viewer's two-up display. You should drag left and right to locate the best match.

Enclosing connected clips in a storyline gives you the advantages of a storyline's magnetic properties when trimming and rearranging the B-roll clips.

Another trim tool similar to ripple trim is roll trim. Whereas ripple trim modifies the duration of one clip (and potentially the project's duration), the roll trim modifies the adjoining points of two clips, not affecting other clips or the total project duration. The roll trim achieves this net-zero duration change by trimming the opposing edit points in opposite directions: inserting frames at one edit point while removing the same number of frames from the adjoining edit point.


In the edit you just completed, the roll trim is handy for fine-tuning the cut's trigger. With the ripple trim, your focus was on continuity of action at the edit. Now that the continuity is in place, you may need to adjust when the cut happens. Should the cut to the shot underneath the helicopter occur as Mitch reaches for the camera, while Mitch is dropping down, or even after Mitch has stopped moving? The roll trim allows you to explore all of those options.

- From the Tools pop-up menu, choose the Trim tool.



The roll trim function requires that the Trim tool be selected.

- Place the Trim tool over the edit point between **DN_9390** and **DN_9465**.



With the Trim tool on the edit point, the tool becomes the roll trim, with filmstrips pointing at both clips to indicate that the end point of **DN_9390** and the start of **DN_9465** are about to be changed.

- Drag to the right until Mitch has squatted down, which you can see in the Viewer two-up.



- Drag back to the left and decide where within the action to cut between the two clips.


The roll trim allowed you to move the edit to find the best cut point between the two clips. This roll trim and the earlier ripple trim worked because the clips are enclosed in a storyline. Grouping clips together in a connected storyline brings the trimming and magnetic properties of the primary storyline to these clips.

Exercise 4.6.2

Appending Clips to a Connected Storyline

In this exercise, you will create a connected storyline, and append additional B-roll clips to it. This editing method offers the speed and convenience of the batch and ripple trim techniques you previously performed on the primary storyline.

- 1 Press **A** to return to the Select tool, and in the Libraries sidebar, select the Preflight Keyword Collection.
- 2 In the Preflight collection, find **DN_9455**.




This clip shows Mitch getting into his helicopter, and is the first of a series of clips depicting the preflight and startup.

- 3 In **DN_9455**, mark a start point just before Mitch appears in the frame at 02:27:27:11. Set an end point after Mitch is in the helicopter at 02:27:35:20.




Next you need to define where this clip goes timing-wise within the Timeline.

- 4 In the project, cue the playhead to 00:00:15:17 after Mitch says, “has been shot on the ground.”



You'll connect the first clip of this series of B-roll clips at this point.

- 5 Click the Connect button, or press **Q** to make the edit.




NOTE ► To enable the Connect button when it is dimmed, move the mouse pointer back into the Browser to activate the Browser pane.

To quickly set up an append edit for the following B-roll clips, you will convert this one clip into a storyline.

- 6 Control-click **DN_9455**, and from the shortcut menu, choose Create Storyline, or press **Command-G**.

The clip is now contained in a storyline. To make additional edits to this storyline, you must select the storyline's bar rather than the clip inside.

- 7 Click the storyline's bar to select it.




When you select its gray bar, the storyline is outlined in yellow. The goal is to efficiently add the subsequent B-roll clips to the selected storyline.

- 8 In the Browser, locate **DN_9446**.
- 9 Mark a start point on the jib's first take of Mitch's feet on the pedals at 02:19:23:06. Set an end point after Mitch has reached for the instrument panel at 02:19:30:12, leaving the clip duration at approximately seven seconds.






- 10** Press **E** to append this clip to the end of the selected storyline.




You also can batch edit clips into this storyline.

- 11** Mark the following ranges for each listed clip:

Clip	Start	End	Result
DN_9453	Start of third take tilt/pan on Mitch (2:26:30:00)	End of tilt/pan move to panel (2:26:34:19)	
DN_9454	Two seconds before flips switch and the displays change (2:27:06:18)	Releases switch and hand leaves frame (2:27:10:16)	
DN_9452	Before rotors start turning (2:24:21:00)	End of clip	


After marking these three clips, you can select all three for the append edit into the **DN_9455** and **DN_9446** storyline, which we'll call the preflight storyline.

- 12** With **DN_9452** still selected, Command-click the ranges you marked for **DN_9454** and **DN_9453** to select the three clip ranges.




- 13** In the project, ensure the gray bar of the preflight storyline is still selected.

Make sure you select the gray bar and not **DN_9455** or **DN_9446**.



- 14** Click the Append button, or press **E**, to append the three clips to the selected, preflight storyline.



The clips are added to the preflight storyline in the order you selected them.

NOTE ▶ With the Timeline pane active (move the skimmer into the Timeline to make it active), press **Command--** (minus sign) to zoom out the Timeline view.

4.6.2-A Editing Within a Connected Storyline

Because these clips are now inside a storyline, rearranging and ripple trimming them is a breeze.

- 1** Drag **DN_9452** to the end of the preflight storyline after **DN_9453**.

NOTE ▶ Ensure that you keep **DN_9452** inside the preflight storyline.




Soon, you'll ripple trim each of these storyline clips to reduce their durations. The goal is to finish playing the first four clips in the preflight storyline by the end of the **MVI_1055** sound bite. There's a lot of content to remove!

No joke. **DN_9453** should end a few moments before the end of **MVI_1055**. This is a common editing scenario and the reason why you batch edited the clips into the storyline. The durations you marked earlier in the Browser were set to narrow down the clips to the needed content. But the timing of these clips with the sound bite and to each other is what determines their final durations and positions.

The art of editing is the art of compromise. You need to present just enough information for the viewers to understand the actions they are seeing and tell the story. You want to present these four preflight actions while Mitch is talking about the whole new look of shooting something from the air. When he finishes that statement, the rotors start turning and the helicopter takes off. The compromise to make that edit happen is to adjust the timing of not only these preflight clips to Mitch's sound bites, but also adjust the earlier hangar storyline clips' timing to the sound bites. Don't be afraid to look at previous edits when trying to make up time in a project.

Let's first gain a few seconds by trimming clips in the project's first storyline, the hangar storyline.

- 2 In the hangar storyline, ripple trim the start point of **DN_9390** so the clip begins with just a sliver of light visible through the hangar door.




Reference the start frame of **DN_9390** in the Viewer's two-up display.

NOTE ► You may need to disable snapping (**N**) to ripple trim to the specific desired frame. Enable snapping after completing the trim.


After trimming the start of **DN_9390**, the start of **MVI_1042** is now visible. You can drag the hangar storyline to realign it with the beginning of the project.

- 3 Drag the hangar storyline to the beginning of the project.



Remember the gap clip you previously added between the two sound bites at the beginning of the primary storyline? You can gain some additional time by lengthening that gap clip. Increasing its duration allows you to shift the start of the preflight storyline earlier in relation to the sound bite **MVI_1055**.

- 4 In the primary storyline, drag the end point of the first gap clip to the right to a duration of about 2:15.



NOTE ► You may need to disable snapping (**N**) to create the precise desired duration. Then, enable snapping to perform the next step.

The hangar storyline now ends and Mitch's interview video becomes visible as he says, "really ever seen." Mitch needs to be on camera for a short time to accommodate a graphic that you will add in a later lesson, so you'll leave a few seconds of him visible. The preflight storyline can now start a little earlier.

- 5 Drag the preflight storyline so that its first clip starts at the “standpoint” audio cue (00:00:14:16).




NOTE ▶ Remember, a quick way to perform this type of edit is to enable snapping, cue the playhead to the audio cue or timecode point, and then drag the storyline until it snaps to the playhead.

That edit gained you another two seconds, more or less. But more trimming is still needed.

DN_9455 is much too long. When you review the clip’s content, you see that the real action occurs at the end of the clip when Mitch gets in the helicopter. Cutting the clip duration to that last action will make the shot more interesting and gain you time.

When you trimmed the start of **DN_9390**, you did so using the Select tool and moving the entire storyline to the beginning of the project after the trim. This time, you’ll save a step by performing a ripple trim using the Trim tool.

- 6 From the Tools pop-up menu, choose the Trim tool, or press **T**.




- 7 Drag the start of **DN_9455** to the right, but don’t release the mouse button yet.



As you drag with the Trim tool, the two-up display appears in the Viewer. The area on the right shows the new start point you are setting for **DN_9455** with the Trim tool.

- 8 While watching the right frame of the Viewer's two-up, drag the start point until you see Mitch stepping on the skid to get in the helicopter. The delta or change length for the trim should be about +5:10. Release the mouse button.




Now you'll trim the end point of **DN_9455** to further tighten the shot.

NOTE ▶ Ensure that the mouse pointer displays the ripple edit, single filmstrip icon to perform this edit. If the ripple edit filmstrip icon is not visible, click in the empty, gray area of the Timeline to deselect the storyline.

- 9 Drag the end point of **DN_9455** to the left until the two-up display shows that Mitch just got into the helicopter and lowered his right arm.

NOTE ▶ Don't forget, when you are adding to or removing from a clip, position the Trim tool to see a single filmstrip pointing at the receiving clip.



The end result is a clip just over two seconds long. That's quite a bit of tightening for that clip. Let's shorten **DN_9446** too.

- 10 Using the Trim tool, drag the start point of **DN_9446** to the right until the two-up display in the Viewer shows the bottom tip of the door at the bottom of the frame.




- 11 Now trim the end point of **DN_9446** to realize an overall clip duration of two seconds.




NOTE ▶ Don't forget to disable or enable snapping using the **N** key, when necessary.

The next clip should be **DN_9453** followed by **DN_9454**. Because these two clips are inside a storyline, this involves only a simple rearrangement of the two clips.

- 12 Switch to the Select tool, and then drag **DN_9453** left to insert the clip before **DN_9454**.



- 13** Staying on **DN_9453**, trim the start point to where Mitch is centered in the image and starts to reach forward.




- 14** Trim the end point to a clip duration of around 1:18, the point at which Mitch's fingers have landed on a switch.




To create the pacing and the feel that Mitch is starting the engine, you will cut from this movement to a closer “throwing the switch” shot.

- 15** In **DN_9454**, trim the start point to where Mitch's hand is still open before pointing and throwing the switch.




NOTE ► This may require dragging to the left to add frames.

- 16** Trim the end point to realize about a 1:10 clip duration ending while Mitch is holding the switch.




Finally, you'll trim the clip of the helicopter rotors starting to move.

- 17** Trim **DN_9452**'s start point so the rotors have already started to turn. Trim the end point to a clip duration of about two seconds. Review the edit.



You've completed your assembly of the preflight storyline. Now, you'll make an edit pass to check for mistimed clips and to ensure that the storyline fits the timing of the sound bite. Here are just a few items to check:

- ▶ **DN_9454** should end align to the end of **MVI_1055**. Some additional frames may be added to the end of this clip to emphasize the switch activation.
 - ▶ A continuity issue exists in the edit between **DN_9446** and **DN_9453**. Mitch reaches for the instrument panel with his right arm and then his left arm. You can remove frames from the end of **DN_9446** to avoid seeing his arm or add frames to show Mitch lowering his right arm.
- 18** Continue to adjust your edits as necessary to achieve this alignment while tweaking the other edits.







You have just one more B-roll storyline to go!




4.6.2-B Creating and Editing the Third Connected Storyline

Use the following table to select and trim clips for the third storyline, takeoff. You will use the rating system to gather the clips.

NOTE ► Don't forget that you have two events in the Lifted library that contain clips for this project. Also remember that dragging a range point displays the range's duration.

1 Mark each clip as detailed in the following table, and apply the favorite rating (F) to each:

Clip	Keyword	Start	End	Result
DN_9463	Takeoff	As forward movement begins (02:36:05:16)	Exits frame (02:36:08:11)	
DN_9415	In Flight	A second before the mountain is behind the helicopter (01:58:30:17)	Duration of five seconds	
GOPR1857	In Flight	Two seconds before Mitch stretches his arm out behind the seat (24:05) (An existing favorite overlaps this range and is discussed in step 3.)	Duration of five seconds	
IMG_6493	Flight Controls	Before 1st long, lensflare ends (20:23)	Before tilt up to follow hand (25:14)	


Clip	Keyword	Start	End	Result
GOPR3310	In Flight	Last third of clip; before Mitch leans forward into sunlight (32:00)	Duration of five seconds	
DN_9503	In Flight	Helicopter behind tree (03:22:36:18)	Helicopter exits frame (03:22:42:07)	
DN_9420	In Flight	Helicopter is just off screen (02:02:04:00)	Helicopter exits frame (02:02:10:00)	

Now that you've marked the clips, you'll batch connect them to the project. However, when you are in the Primary Media event, the GoPro event clips are not visible. Selecting the Lifted library reveals all the clips from all events in the library.

- 2 In the Libraries sidebar, select the Lifted library.

Now you see all of the clip, but you still need to cull down that display a little bit, which you already did somewhat by favoriting the clips you marked. The library has a prebuilt Smart Collection to help cull the library.


- 3 Inside the Lifted library's Smart Collections folder, click the Favorites Smart Collection.



The sound bites you previously marked as favorites are displayed along with the B-roll clips you need. Only the favorited range of each clip is displayed, which includes **GOPR1857** that appears with a rather long favorite and a small marked range. The marked range shown is what you favorited just moments ago. That range lives inside a pre-existing favorite range for the clip. Ratings do not overlap. The favorite you marked for this storyline edit will be absorbed into the existing favorite if you click outside that range.

With the favorites visible, you'll batch edit these to the Lifted Vignette project.

- 4 Click to select **DN_9463**, the first clip in the previous table.
- 5 Command-click the additional B-roll clips in the order that they are listed in the table.



- 6 In the project, press the Up Arrow and Down Arrow keys to cue the playhead immediately after **DN_9452**, if necessary.

You will perform a connect edit first to place these clips in the project, and then group these clips into a connected storyline.

- 7 Click the Connect button, or press **Q**, to connect edit the selected clips into the project. Press **Shift-Z** to fit the project within the Timeline.



Now that the clips are part of the project, you can group them into a connected storyline.

- 8 In the project, select the connected clips you just added. Control-click any one of the selected clips, and from the shortcut menu, choose Create Storyline, or press **Command-G**.



The clips are grouped into a connected storyline, the third such storyline in your project, which we'll refer to as the Takeoff storyline.

You have two more B-roll clips to add. You also have some very loud nats on a couple of B-roll clips, but let's take a break from B-roll to add a music clip, and align some edits to it.

Reference 4.7

Editing Below the Primary Storyline


Audio clips are typically edited “below the line,” meaning physically beneath the video clips. In Final Cut Pro, you may place audio clips below or above the primary storyline. The vertical positioning of audio clips is not as critical as when prioritizing video clips because Final Cut Pro mixes together all audio clips—such as sound effects and music—and plays them simultaneously.

Exercise 4.7.1

Connecting a Music Clip

For this first rough cut, you will include a music clip that plays in the background during the entire edit. The music contains an apex moment towards the end that you will synchronize with a specific clip.

- 1 In the Lifted library's Audio Only Smart Collection, select the **Tears of Joy-Short** clip.



- 2 With the playhead cued to the beginning of the project, click the Connect button, or press **Q**.

The music clip is added to the beginning of the project. The music will be a little too loud, or *hot*. You can adjust its volume level in the Timeline. Every audio clip has a volume control: a black horizontal line that overlays the clip's audio waveforms.

- 3 Move the Select tool over the volume control in the **Tears of Joy-Short** music clip.



The current volume level setting appears as 0 dB (decibels), which means that Final Cut Pro currently plays the clip at its original volume level.

- 4 Drag the Volume control down to around -15 dB to play the music clip at 15 dB below its original recorded level.



NOTE ► Hold down the Command key while dragging the Volume control for greater precision.

As with all the other clips, this is not the final volume setting for the music. This was simply a “sanity” adjustment so the rest of the audio clips are audible while editing. There is more audio work to be done.


Reference 4.8

Finessing the Rough Cut

Your project is racing to the end of this phase of the workflow. The details and adjustments you need to perform become more granular as you finish addressing the major editorial issues. You may still perform some major changes, but you should now see the light shining at the end of this editorial tunnel. At this stage, a project generally needs audio

adjustments and a bit more trimming. By now, your project is definitely ready for a run-through with the slip trim.

The slip trim changes the content within the clip container. You change the start and end points of the content simultaneously, revealing earlier or later source materials without changing the clip's duration or position in the project. Think of the clip as your iPhone and the clip content as the photos on your iPhone. When you want to see earlier photos, you swipe with your finger from left to right to pull the earlier photos into view. The reverse to see later content is to swipe right to left to pull that content into view.




Dragging right to slip earlier content into view

While performing a slip trim, the two-up display of the new start and end points appears in the Viewer. The two-up display shows your changes in real time as you drag the slip trim across the clip. When you release the mouse button, the clip is already updated in the project.



You may also slip trim audio-only clips. However, for smoothing out audio edits at this stage of the workflow, adding some transitions and audio fade handles will do the job. Every clip that contains audio content has fade handles to create audio envelopes for ramping. You can create ramps to soften the audio edits and avoid calling attention to the edit with an abrupt audio change.




Your project has a basic music bed, the B-roll edits, and even the sound bites generally positioned and somewhat trimmed. For this first rough cut, you will adjust some clip positions and timings to coincide with the music clip's major moments.

Exercise 4.8.1

Adjusting the Edits


In **DN_9420**, the sunset shines dramatically through the helicopter's windows, and during the clip, the music **swells** to a climax. But you can do better. In this exercise, you will align those audiovisual moments for maximum effect.

- 1 In the project, select **DN_9420**, and skim to the first frame of the sun coming through the helicopter windows.



You'll set a **marker** to identify the visual cue of the sunlight through the windows that you want to align to the music swell.

- 2 Press **M** to set a **marker** at that dramatic visual moment.



A marker appears along the clip's upper edge.

Now you need to set a **marker** on the music swell. Unfortunately, it's a little hard to hear while the sound bite is playing.

- 3 Select the music clip, and then click the **Solo** button, or press **Option-S**.




Only the selected audio clip is audible and in full color, while the nonselected clips' audio is muted and desaturated in the interface.



Now that you can hear the music clearly, you'll place a marker on the music swell.

- 4 Using the Select tool, click the music clip, skim to the music swell at 00:00:54:21, and press **M** to set a marker.



- 5 With the marker set, click the Solo button again, or press **Option-S**, to disable the Solo function.


Now the task is to align those two markers. You'll perform two edits with the ripple trim: shortening the B-roll and extending the last gap clip to align the music swell with the sunset.

- 6 Ripple trim to remove a few frames from each clip of the takeoff storyline. Your goal is to move the sunset marker closer to the music swell.

Here are some trim points to consider:

- ▶ Start of **DN_9463**: Could the helicopter be farther along the ramp? Use the Trim tool or you'll need to reposition the storyline after any adjustment to this point.
 - ▶ **DN_9415**: Don't trim too much here. This is a "landscape" shot that needs time for the viewer to gain perspective, but you could tighten the shot a bit.
 - ▶ Start of **GOPR1857**: Trim to just before Mitch turns his head and stretches his arm out.
- These edits should get you very close to aligning the markers.

- 7 Also using the ripple trim, push the last sound bite farther out by lengthening the gap clip. Insert enough frames so that the last sound bite starts at 00:00:59:00, after the music restarts.



You can finish aligning the two markers using one or both of the following methods: ripple trim more of the earlier B-roll clips, or slip edit the content of **DN_9420**.

4.8.1-A Using the Slip Edit

The slip edit is a safe edit for setting the B-roll clips to their best content without disturbing other edits.

- 1 From the Tools pop-up menu, choose the Trim tool, or press **T**.

- 2 Move the Trim tool over the middle of **DN_9420**.



The Slip tool appears.

- 3 With snapping (**N**) enabled, drag inside **DN_9420** until the marker aligns to the music marker.



While dragging with the slip trim, a two-up display of **DN_9420** appears in the Viewer.



The image on the left shows the start point of the clip, while the right image shows the end point. The start and end points are updating in real time as you drag the slip trim. Although not particularly needed for this edit, the two-up display is great for ensuring that the best content is included between the displayed start and end points.

- 4 With the two markers aligned, play the entire project, slip trim at the ready, evaluating whether the B-roll clips are displaying their best content within their current durations. You may want to do so with your speaker/headphone volume lowered.

While you review the project, ask questions about the effectiveness of your results. Can you avoid the lens flare in the instrument/GPS panel shot? Should there be more lens flare content? Should the project show less of Mitch leaning back and pointing out the side window, or should you slip the clip to include Mitch pointing out the front?

▶ Checkpoint 4.8.1


Refer to Appendix C for details on reviewing a Checkpoint.

Exercise 4.8.2

Adjusting Clip Volume Levels


The two basic rules of mixing audio are: Don't **peak** the **meters**, and if it doesn't sound good, change it. That change should not be a knee-jerk reaction. Don't get in the trap of continuing to boost the volume of a clip to make it louder than the other clips. If the sound bites are too quiet, you don't necessarily crank up the sound bites. Maybe you need to turn down the volume of the music or B-roll **nats**.

In this exercise, you will perform some simple volume level adjustments to ensure that the sound bites are clearly audible, and that the overall audio mix does not reach up to 0 dB on the Audio meters. A safe target is to not allow any of your loudest audio to go above -6 dB on the meters.



The Audio meters in Final Cut Pro averaging a good, safe -12 dB playback level

- 1 In the Dashboard, click the Audio Meter button.



The larger Audio meters open to the right of the Timeline. Although you'll delve deeper into audio mixing in Lesson 6, right now you just want to ensure that during playback your audio levels don't peak at or beyond the 0 dB level on the meters.

A few minutes ago, you changed the volume of a single music clip. When you want to change the volume levels of multiple clips at once, you can use a keyboard shortcut.

- 2 In the takeoff storyline, select all the B-roll clips.



NOTE ▶ Remember, you may click **DN_9463** and then Shift-click **DN_9420** to make the selection.

- 3 While watching the clips' volume controls, press **Control--** (minus sign) and **Control=** (equals sign) to lower and raise the volumes of the selected clips.



Each shortcut key press lowers or raises the playback volume level of the selected clips by 1 dB. As these clips have wildly different audio content, you should adjust only one or a few at a time.

- 4 Play through the entire project, listening to the mix while watching the Audio meters. Select a clip or multiple clips, and drag the volume control or press the shortcut keys so you can clearly hear Mitch talking, and also to keep the Audio meters below -6 dB.

The peak indicators, the thin lines left over from the highest meter reading, should not go much over -6 dB.

NOTE ▶ You'll modify the sound bites in Lesson 6 so Mitch can be heard in both the Left and Right outputs.

▶ Know Your Volume Controls

When dealing with audio, always remember that you have access to at least two volume controls. The volume level controls internal to Final Cut Pro are the only ones that affect your audience. Turning down your Mac computer's volume or external speaker volume control does not affect the audio volume in Final Cut Pro.

The built-in Mac speakers are good quality for a computer, but they won't do the job for professional editing. At the very least, you'll want to have good over-the-ear studio headphones, and at best, powered near-field loudspeakers. Audio monitoring equipment is a key investment that will add immeasurably to your final output's quality. Just because you're not listening on good equipment doesn't mean others won't either; viewers with high-quality equipment will probably notice audio issues you couldn't even hear.

Exercise 4.8.3

Connecting Two Additional B-Roll Clips

To complete this rough cut's B-roll edits, you've got two concluding B-roll clips to add. Currently, the sunset shines through the helicopter's windows at the **music swell** and **grand pause**. Then the music starts again, and Mitch begins his last sound bite. Time to land the helicopter "at the end of the day," and to fly off into the sunset when remembering the day's adventures.

- 1 In the GoPro event, locate a clip assigned the Landing keyword.



Looking in the Landing keyword collection of the GoPro event, you find **GOPR0009**.

- 2 In the Browser, skim to where the helicopter is completely visible in the frame, and mark a start point (00:00:07:24).




Although you just trimmed this clip, its duration is still almost 30 seconds. You might need only 10 of those seconds.

- 3 Skim **GOPR0009** and set an end point as the helicopter touches down (00:00:17:28).



The duration should now be roughly 10 seconds.

- 4 Using the connect edit method of your choice, connect edit the landing clip to the primary storyline about where the music restarts at 00:00:58:16. This will also be just as or slightly before Mitch starts talking. Play the results.




This edit feels choppy because the sunset clip cuts to black followed by another clip cutting in from black. Before fixing that, you have one more clip to edit into the project.

- 5 In the Browser, search for an In Flight B-roll clip that shows the helicopter flying off into the sunset. You should find **DN_9424**.

- 6 You will later trim this clip in the Timeline to get it just right, but for now, set a start point before the helicopter enters the frame (02:05:51:06). You want that action to happen just as Mitch is finishing his last sound bite.




- 7 Connect edit **DN_9424**, “flying into the sunset,” just as Mitch is saying at 00:01:14:13, “Adventure I went on.” Trim the clip to end with the music.



That works. To finish with this clip, give its content some breathing room by adding several seconds to the clip's start.

- 8 Drag the start point of **DN_9424**, and extend the start point to the left to when Mitch says, “Wow.”



- 9 Since you just added these two clips, take a moment to adjust their audio levels to more closely match the previous adjustments you made to the other clips.

Great! All the clips for your first edit are in your project. A final refinement pass will soften some not-so-clean edits.

▶ Checkpoint 4.8.3


Refer to Appendix C for details on reviewing a Checkpoint.

Exercise 4.8.4 Refining Edits Using Cross Dissolves and Fade Handles

Some of your audio edits may contain a click or pop at their start or end points. Every clip that has audio has the potential to “catch a click.” A quick solution is to rapidly fade the audio in or out using a technique called **ramping**.

▶ Catch a Click

Pleasant-sounding audio travels in a sine wave with a peak and a trough per cycle.



Each cycle of the waveform traverses the zero crossing point two times as the soundwave peaks and then goes down to the trough and then repeats. When an audio clip has a start point that catches the audio soundwave anywhere other than at zero, you may hear a click as the playhead grabs on to the soundwave in progress.

- 1 At the end of the first sound bite, move your pointer over the audio waveform of **MVI_1042**.



Two fade handles, or “birds-eyes,” appear at the ends of the clip. These envelope handles allow you to quickly or gradually ramp the audio into or out of the edit.

- 2 Move your pointer over the ending fade handle.



When positioned over the handle, the pointer changes to a pair of arrowheads pointing left and right.

NOTE ► If you have difficulty seeing the fade handles, use the Clip Appearance button at right to increase the clip height. Also, you may select a larger waveform presentation.



- 3 Drag the fade handle to the left about five frames.



The number of frames to move is dependent upon how tight the edit is against “kid.” You do not want to cut off the last word Mitch says.

- 4 Position the pointer over the beginning of the next sound bite.
- 5 Drag the fade handle right from the start point to add a small ramp into the clip’s audio.



The clicks and pops are fading away. These audio ramps also soften the clip’s entry and exit. When an audio clip was recorded in a noisy environment, a cut into or out of the clip will make the edit undesirably obvious as the noise pops into or out of the mix. In addition to audio edits, let’s soften some video edits. A fade-in is not

necessarily required if your edit starts with black. But the sunset clip definitely needs an easy, blending transition in and out.

For now, you will use a keyboard shortcut to apply the default transition: cross dissolve. When placed between two clips, a cross dissolve transition blends two images together by varying their levels of transparency. One appears to fade away while the other appears to fade into view. When applied to a single edge of a clip that does not adjoin another clip, the **Command-T** cross dissolve will either fade the clip in from black or fade out to black. A few cross dissolves placed into your project will smooth the clips' entries and exits.

- 6 Using the Select tool, click the start point of **DN_9420**, and press **Command-T** to add a cross dissolve.



A cross dissolve with a one-second duration blends the previous shot into the sunset shot. This sets up the shot and begins to slow down the pacing for the ending segment. While you may apply many transition types and customizations here, let's add a few more cross dissolves to your project.

- 7 Select the end point of **DN_9420**, and press **Command-T**.



- 8 Select the start point of the **GOPR0009** clip, and press **Command-T**.



NOTE ► Connected clips are automatically placed within a connected storyline when a transition is applied.

- 9 Review this transition by playing the project.


Notice that while the video is fading in from black, a momentary cut to Mitch on-camera appears as the helicopter landing clip continues to fade in. This occurs because the Mitch clip starts while the transition from black is still in progress.

- 10 Lengthen the gap clip to push Mitch's sound bite, **MVI_1046**, to start after the transition is completed.



Now Mitch doesn't make a surprise appearance during the landing. So far, you've applied one transition at a time. As easy as it is, selecting single points is tedious. Fortunately, you can apply a transition to both points of the same clip at once.

- 11 In the project, select the **DN_9424** clip, and press **Command-T**.



A cross dissolve is applied to both edit points, but the ending dissolve should be a little longer than the default duration of one second.

- 12** Place your pointer over the left edge of the transition in the project.



The pointer becomes a resize icon without a filmstrip. This allows you to set the transition's duration.

- 13** Drag the transition's start edge to the left away from the transition's center until the duration info indicates two seconds.



Now you have a slower fade to black at the end of the project.

- 14** Review your project, looking and listening for edits that could be softened with a cross dissolve or audio ramp. A quick tip while you are reviewing: When it comes to video transitions, less is more.

NOTE ▶ You'll learn more about mixing audio and working with transitions in later lessons.

With a few audio ramps and a couple of video cross dissolves, your rough cut is ready to show to the client.



Reference 4.9

Sharing Your Progress

When a project is ready to be shared, the project is exported from Final Cut Pro. The Share pop-up menu includes several preset **destinations** for many popular delivery platforms.



The preset destinations include desktop formats such as Apple ProRes and H.264 as well as iOS devices; DVD/Blu-ray; and online services such as YouTube, Vimeo, and Facebook. These presets may be customized and additional presets added to this list within preferences. The destinations are even more customizable through the use of Compressor, the Apple batch transcoding application available in the App Store.

NOTE ► Due to copyright restrictions, you cannot use the supplied media materials for any purpose other than performing the exercises in this book.

Exercise 4.9.1

Sharing an iOS-Compatible File

You've done a lot in this first edit of Lifted Vignette. In this and the previous lessons, you've gone through a typical post-production workflow using Final Cut Pro. Although it's not perfect, this rough cut must be shown to the client, the producer, or your colleagues attending an upcoming lunch meeting. The following exercise briefly describes exporting your project to a media file that is playable on a Mac, PC, smartphone, or tablet. Such media files are also acceptable for upload to most popular online video-hosting services.

- 1 With the Lifted Vignette project open, ensure that no clip or range is selected in the project by pressing **Command-Shift-A**.


This keyboard shortcut deselects any selected items and clears any marked ranges, which is important because Final Cut Pro will share a range if one is selected instead of the entire Timeline.

- 2 In the toolbar, click the Share button.



The Share Project pop-up menu appears with a list of preset destinations. Most of these presets focus on delivering high-definition content to online hosting sites or to desktop, portable, and handheld devices. For this exercise, let's create a file that we can AirPlay to the conference room's projector by way of an Apple TV.

- 3 From the list of destinations, choose Apple Devices 720p.




The Share dialog that appears contains five main elements: a skimmable preview area to verify the content for export; Info, Settings, and Roles panes; and a File inspector that summarizes the exporting file's settings.

The Info pane displays the metadata that will be embedded into the file. This metadata will be visible in the exported media file's Info inspector when it is opened in QuickTime Player.


4 Set the following metadata information:

- ▶ Title: *Lifted-Rough Cut*
- ▶ Description: *A helicopter pilot and cinematographer describes his passion for sharing aerial cinematography.*
- ▶ Creator: [insert your name]
- ▶ Tags: *aerial cinematography, helicopters, aviation*

NOTE ▶ To enter the tag “tokens,” type the tag’s text followed by a comma, or press Return to close each tag.




5 After entering the metadata, click the Settings tab to modify the file's delivery options.




By default, the selected destination preset automatically saves the file to your iTunes Library. You may alter this behavior in the “Add to playlist” pop-up menu.

- 6 From the “Add to playlist” pop-up menu, choose “Open with QuickTime Player.”




NOTE ► If the Open With option lists another application, choose Other from the Open With list, select QuickTime Player from the Applications folder, and then click Open.

- 7 In the Settings pane, verify the “Add to playlist” line has converted to “Open with QuickTime Player.”




- 8 Click Next.
- 9 In the Save As dialog, enter *Lifted-Rough Cut*, if necessary, and from the Where pop-up menu, choose Desktop. Click Save.



The Background Tasks button displays the progress of the share.



When the file has been shared, the file automatically opens into QuickTime Player and a macOS notification appears.




NOTE ► The QuickTime Inspector window is available by pressing Command-I in the QuickTime Player application.

- 10** Play the movie file in QuickTime Player.

If the file looks and sounds as expected, you're ready to AirPlay to an Apple TV.

- 11** To the right of the QuickTime Player transport controls, click the AirPlay pop-up menu.




- 12** From the list that appears, select the networked Apple TV to begin broadcasting the shared file to the Apple TV-connected display/projector.

In addition to streaming to an Apple TV, a shared file may be uploaded to cloud-based services such as iCloud, Dropbox, Frame.io, or YouTube. Many distribution options are available within Final Cut Pro and even more are available in Compressor and macOS.


Congratulations on completing the first edit of the Lifted Vignette project. You have gone from nothing to a rough edit in a brief period of time. You created a project and learned the various edit commands of append, insert, and connect to get clips into a project. Rearranging clips in the primary storyline introduced you to the magnetic properties of a storyline. For the B-roll, you created connected storylines and then used a variety of tools for trimming clips, softening the edits, and adjusting the audio levels. Finally, you discovered some ways to share the project out of Final Cut Pro. No matter which projects you will edit in the future, you will edit every one of them using this same import, edit, and share workflow.

Lesson Review

1. What do Automatic Settings do when creating a new project?
2. Where are projects stored?
3. Which edit command is depicted in the following figure?




4. Which edit command is depicted in the following figure?



5. Which toolbar button performs an append edit?
6. What do the green-, blue-, and purple-colored stripes overlaying a Browser clip identify?
7. When in filmstrip view, which modifier key do you hold down to edit clips into the project in the order that you selected the clips in the Browser?
8. When performing an insert edit, what marks the Timeline location for the edit: the playhead or the skimmer?
9. Identify the edit type used in the following figure.




10. Which two interface items provide additional skimming precision in the Browser?
11. In the following figure, what does the Viewer overlay indicate?



12. With the primary storyline determining a project's timing, what generic clip can be inserted to "create" time between storyline clips?
13. In the scenario shown below, what type of edit was performed in one command?



Before




After


14. In the following figures, identify the edit functions indicated by the mouse pointer.



A



B



C


15. To append edit a clip into a connected storyline, what must you select and not select before pressing E?

16. In the following figure, what does the -15 dB indicate?



17. Which interface element displays the Audio meters?

18. Describe what will occur during playback of the following transition.



19. Which interface element lets you export an iOS-compatible file of your project?


Answers

1. They conform the project's resolution and frame rate to the first video clip added to the project.
2. Projects are stored within a designated event.
3. Append edit
4. Insert edit
5. The Append edit button



6. Favorite, user-applied keyword, and analysis keyword
7. Command
8. The skimmer, if active; otherwise, the playhead
9. Ripple edit

10. The Clip Appearance options for clip height and zoom, which allow you to see more clip content vertically and horizontally, respectively.



11. The playhead or skimmer is cued to the start frame of a clip.
12. A gap clip
13. Replace with gap edit (keyboard shortcut: Shift-Delete)
14. A: Ripple; B: Roll; and C: Slip
15. The connected storyline's gray bar must be selected, but any clip inside the connected storyline must not be selected.
16. The audio volume control has been lowered to play the audio clip -15 dB quieter than the audio clip's recorded level.
17. The Audio Meter button in the Dashboard



18. The **GOPR0009** clip will fade in from black, but halfway through the transition, Mitch's interview will suddenly cut in and be visible until the GoPro clip becomes fully opaque.
19. The Share pop-up menu



Index

Numbers

- 0:00, creating time at, 214–221
- 3D, transforming text in, 333–338
- 3D glyphs
 - refining look of, 339–344
 - reshaping, 336–338
- 3D Text category, Text inspector, 343
- 3D title page, creating, 332–333
- 3D titles. *See also* lower third; titles
 - animating, 344–346
 - creating, 329–331
 - options, 332
 - refining look of 3D glyphs, 339–344
 - reshaping 3D glyphs, 336–338
 - transforming text, 333–336
- 5D-7D Keyword Collection, 64–65
- 360-video, manipulating, 495–501

Symbols

- , (comma) key, using to ripple trim, 135, 154
- ` (grave accent) key, pressing, 159, 528
- [(Left Bracket), using to select end points, 136
- . (period) key, using to insert content, 135, 154
-] (Right Bracket), using to select end points, 136
- / (slash), using to preview clips, 233

A

- Add mask blend mode, 292
- Adjust Volume commands, 375–376, 524–525
- aerial clips, importing, 239–242
- aerials, trimming, 247–260
- analysis
 - and transcode options, 38–39
 - keyword, 53, 102

- angles, switching, 494
- animating 3D titles, 344–346
- Append command, 526
- append edit, performing, 123
- appending
 - batch edits to primary storyline, 122–124
 - clips, 120, 122
 - clips in primary storyline, 116
 - clips to connected storyline, 164
 - clips to end of storyline, 166
 - notes, 71
 - primary storyline, 118–122
- Apple TV, streaming to, 199
- archiving libraries, 467. *See also* camera archives
- aspect, 25
- attributes
 - copying and pasting, 314–315
 - removing, 285–287
- audio. *See also* sound
 - adding, 358–360
 - borrowing, 358–360
 - commands, 524–525
 - retiming, 351–354
 - soloing, 257
 - splitting, 358–360
 - splitting with clips, 354–355
 - working with, 346–347
- audio blend, previewing, 356–357
- audio effects
 - amount of, 276
 - command, 529
- audio enhancements, 377–378
- audio formats, 532
- audio keyframes, adjusting, 10
- Audio Keyword Collection, 95–97

Audio Meter button, identifying, 187
 audio meters, reading, 364–365
 Audio Only Smart Collection, 95–97
 audio roles
 assigning, 37–38
 generating, 37–38
 Audio Skimming command, 523
 audio soundwaves, 191
 audio waveforms. *See also* waveforms
 enlarging, 226–227
 reviewing, 360
 auditions, working with, 236–237, 242–245
 Automatic setting, using with projects, 472

B

Background Noise Removal analysis, 377
 Background Tasks button, identifying, 101, 199
 Backtimed Connect command, 526
 backtimed edit, timeline-based range, 306–307
 bank and roll, 333
 bar, 221
 batch edit, appending to primary storyline,
 122–124. *See also* edits
 batching clips into storyline, 166
 Black and White effect, applying, 386, 389
 Blade command, 525
 Blade Speed command, 269–275, 528
 Blade tool, using, 141–145, 232
 blur effect, adding, 287–291
 borrowed audio, retiming, 351–354
 brightness and illumination, 387
 Broadcast Safe effect, 401
 B-roll clips
 adding, 250–251
 connecting, 153–156
 connecting to, 188–190
 realigning to music, 229–236
 searching, 150–152
 use of, 8
 B-roll collection, creating, 61–62
 Browser command, 521
 bundles, sharing to, 433–436

C

camera, setting date and time, 489

camera archives, creating, 25–27. *See also*
 archiving libraries
 camera cards, importing files from, 32–35
 camera source files, preparing to import, 21
 caption clips
 creating, 502–505
 modifying, 505–511
 sharing, 512–514
 CEA-608 standard
 Caption roles, 503
 special characters, 511
 channel configuration, changing for audio,
 365–367
 checkpoints, verifying progress with, 4
 Checkpoints library
 downloading and relinking, 533–535
 using, 535
 chroma color correction tools, 410–412
 chroma key, using, 477–484
 chroma value versus luma, 387
 Clear Selected Ranges command, 524
 clicks, catching, 191
 Clip Disable/Enable command, 527
 Clip Height slider, adjusting, 226
 clip volume levels, adjusting, 186–188. *See also*
 volume level
 clips. *See also* events; files; gap clips; libraries;
 ranges; ratings
 adding notes to, 70–73
 adjusting keyframes, 375–376
 adjusting volume levels, 375–376
 appending, 120
 appending to connected storyline, 164–167
 appending to end of storyline, 166
 batching into storylines, 166
 blading and deleting, 141–144
 compounding, 316
 containers, 14
 dragging, 116–117
 filtering, 86–89
 finding, 50
 finding orphans, 92–94
 inserting into storylines, 251
 lifting from storylines, 208–209
 modifying in primary storyline, 127–128
 moving, 252–253

- nudging, 154
- organizing, 9
- placing in storylines, 218
- placing in Timeline, 164–165
- previewing, 233
- rearranging in primary storyline, 125–127
- rejecting, 81–83
- replacing, 210–211
- retiming, 263–264
- searching with keywords, 52–53
- Select All command, 375
- sorting, 86
- storing, 14
- and subclips, 70
- using between libraries, 463
- Close Up Shot analysis keyword, 102
- codecs, 25
- collapsing composites into compounds, 316–318
- collections. *See also* Smart Collections
 - adding for keywords, 60–62
 - containers, 50
 - creating, 50
- Color Board effect
 - adjusting grayscale luma, 394–398
 - adjusting master luma, 390–394
 - desaturating color cast, 412–415
 - neutralizing color cast, 416–418
- color cast
 - desaturating, 412–415
 - neutralizing, 416–418
 - neutralizing with Color Board, 416–418
- Color Correct project
 - creating, 384
 - duplicating, 386
- color correction, with multiple effects, 419–421
- color correction for chroma
 - Auto White Balance, 422–424
 - color cast and Color Board, 412–415
 - multiple effects, 419–421
 - neutralizing color cast, 416–418
 - tools, 410–412
- color correction for luma
 - effects, 382
 - grayscale and Color Board, 394–398
 - grayscale and Color Wheels, 398–403
 - grayscale with Color Curves, 403–410
 - master luma adjustment, 390–394
 - reading clip values, 387–389
 - tools, 384–387
 - white-balanced problem, 381–382
- color correction tools for chroma
 - Colorize effect, 412–415
 - desaturating color cast, 412–415
 - neutralizing color cast, 416–418
 - using, 410–411
- Color Curves effect, adjusting grayscale luma, 403–410
- color key samples, selecting manually, 481–484
- color masks, 292
- Color Wheels effect
 - adjusting grayscale luma, 398–403
 - color controls, 419
 - saturation controls, 414–415
- colored clips, 153
- Colorize effect, color correction tools for
 - chroma, 412–415
- comma (,) key, using to ripple trim, 135, 154
- Command Editor, 28
- command set defaults. *See also* keyboard shortcuts
 - audio, 524–525
 - clip metadata, 523–524
 - connections, 528
 - Copy/Paste/Remove, 520
 - editing, 526–527
 - gaps, 528
 - General, 519
 - interface, 521–522
 - navigation, 522–523
 - retiming, 528
 - Tool palette, 520
 - transitions and effects, 528
 - trimming, 525
- commands, zooming in, 145
- composites, collapsing into compounds, 316–318
- compositing, using spatial parameters, 304
- compounding clips, 316–318
- Compressor. *See also* sharing
 - sending to, 441–443
 - using to share destinations, 440–441
- Connect button, enabling, 165
- Connect command, 526

connect edit. *See also* edits
 keyboard shortcut, 178
 making, 154

connected B-roll, adding and trimming, 149–150

connected clip sync, 157–160

connected clips
 converting to connected storylines, 161–163
 trimming, 159–160

connected storyline. *See also* storylines
 creating, 160–161
 creating and editing, 176–179
 editing in, 167–175

connecting to B-roll clips, 188–190

connection points, relocating, 245

connections
 commands, 528
 overriding, 158–159

containers
 clips, 14
 events, 14–15
 libraries, 16

content-based markers, 228

contrast, measurement of, 387

Control key. *See* keyboard shortcuts

Copy command, 520

copying
 audition clips, 258–259
 events to libraries, 464–466
 as externally referenced, 457–459
 and moving clips in libraries, 460–462
 and pasting attributes, 314–315

correcting images, 381–384

Create Audio Keyframe command, 524

Create Storyline command, 527

crescendo, 208, 226, 235

Crop tool, modes, 310

cross dissolves
 adding, 303–305
 applying, 295
 using, 191–195

Custom Speed window, displaying, 353. *See also*
 speed change

cutaways, 149

D

date and time, setting for camera, 489

Decrease Waveform command, 521

Delete
 command, 524
 key, 81

deleted clips, replacing with gap clips, 239

deleting
 and blading clips, 141–144
 effects, 285–287
 segments, 138
 within storylines, 237–239
 transitions, 252–253, 303

delta, displaying above clips, 127

depth of field effect, creating, 287–291. *See also*
 video effects

Deselect All command, 519

deselecting
 selected items, 197
 sound bites, 235

desktop, returning to, 21

destinations
 presets, 196
 sharing, 428, 440–441

Down command, 523

downloading source media files, 4

Downloads folder, displaying, 7

dragging
 clips, 116–117
 clips in primary storyline, 116–117
 files, 45–46
 Grunge clip, 479
 Highlights controls, 421
 Midtones controls, 421
 Shadow Color control, 421
 volume controls, 350

dual system recordings, synchronizing, 475–477

ducking and swelling effects and
 music, 368–372

Duplicate Project as Snapshot command, 527

duplicates, avoiding, 456

duplicating
 projects, 206
 projects as snapshots, 265

Duration command, 525

E

edit phase, 10

- editing
 - above primary storyline, 148–149
 - art of, 168
 - below primary storyline, 179
 - with Blade Speed, 269–275
 - commands, 526–527
 - in connected storyline, 167–175
 - connected storyline, 176–179
 - multicam clip, 489–493
 - in timecode language, 77
 - edits. *See also* batch edit; connect edit; slip edit; through edit
 - adjusting, 182–186
 - refining, 191–195
 - reviewing, 147
 - undoing, 11, 144
 - effects. *See also* depth of field effect; sound effects; video effects
 - for color correction, 419–421
 - commands, 529
 - deleting, 285–287
 - depth of field, 287–291
 - resetting, 281
 - saving as presets, 283–285
 - stacking, 281–283
 - EIA-608 standard, 503
 - end points
 - keyboard shortcuts, 136
 - marking, 34, 79, 132
 - ripple trimming, 135–136
 - selecting, 136
 - trimming, 171–172
 - entering, metadata for export, 10
 - events. *See also* clips; libraries
 - combining in libraries, 468
 - copying to libraries, 464–466
 - filtering, 91–94
 - moving and copying between libraries, 468
 - storing in containers, 14–15
 - storing projects in, 114
 - exchangeable files, creating, 440. *See also* sharing exercises, performing, 3
 - Expand Audio Components command, 524
 - Expand Audio/Video command, 527
 - Extend Edit command, 525
 - external media, 36–37, 447
 - externally referenced
 - copying as, 457–459
 - importing files as, 450–452
- ## F
- fade handles, using, 191–195
 - Favorite command, 524
 - favorites
 - customizing, 83–84
 - marking, 78, 80, 176–177
 - unrating, 80–81
 - FCP X Media folder, 7
 - file formats. *See* native formats
 - files. *See also* clips; master files
 - dragging, 45–46
 - enclosing in folders, 13
 - exchanging, 440
 - importing from camera cards, 32–35
 - importing from volumes, 40–46
 - selecting non-contiguously, 33
 - filmstrip preview, navigating within, 29–32
 - Filter pop-up menu, using, 86
 - filters, applying, 87–89
 - Final Cut Pro
 - hiding, 21
 - icon, 17
 - Find People tool, using, 100–102
 - Finder
 - accessing, 5–8
 - dragging from, 45–46
 - importing by dragging from, 456
 - Finder options, displaying for libraries, 19
 - Finder tags, using to import aerial clips, 239–242
 - finding. *See also* searching
 - clips, 50
 - orphaned clips, 92–94
 - Flight Controls keyword, marking, 176
 - folders
 - Downloads, 7
 - FCP X Media, 7
 - using, 13
 - foreground, blurring, 287–288
 - Forward command, 522
 - frame rate, 25
 - frames
 - inserting, 146

- navigating, 522
- nudging, 136
- per second, 221
- searching for ratings, 76

G

- Gain commands, 524
- gap clips. *See also* clips
 - commands, 528
 - duration, 221
 - explained, 137
 - inserting, 139–141, 217, 219
 - lengthening, 169
 - replacing deleted clips, 239
 - replacing segments with, 139, 143
- Gaussian blur, adding, 287–291
- generators
 - functions, 480
 - using, 384–385
- Generators Browser, 385
- glossary, accessing, 3
- glyphs, reshaping in 3D, 336–338
- Go To commands, 522–523
- GoPro camera, importing files from, 32–35
- GoPro event Keyword Collection, 66
- Gradient
 - configuring, 385
 - luma controls, 395–398
- grand pause, 188, 226, 235, 253
- graphics, adding to projects, 322
- grave accent (`) key, pressing, 159, 528
- grayscale luma
 - Color Board effect, 394–398
 - Color Curves effect, 403–410
 - Color Wheels effect, 398–403
- Grey Scale
 - clip, indicating, 387
 - generator, 385
- Grunge clip, dragging, 479

H

- H5 Productions, 8
- Helicopter keyword, applying, 52
- Hide command, 522
- hiding
 - Final Cut Pro, 21

- Retime Editor, 216
 - thumbnails, 226–227
- Highlights controls, dragging, 421
- Hold command, 528
- Hue/Saturation Curves, 422
- Hum Removal analysis, 377

I

- illumination and brightness, 387
- images, correcting, 381–384
- import phase, 9
- imported data, storing, 445–450
- importing. *See also* Media Import window
 - 360-video clips, 495–496
 - aerial clips, 239–242
 - camera source files, 21
 - by dragging from Finder, 456
 - existing files from volumes, 42–46
 - files as externally referenced, 450–452
 - files from camera cards, 32–35
 - files from volumes, 40–46
 - as internally managed clips, 454–455
 - range selections, 34–35
 - source media from cameras, 28
- In Flight keyword, marking, 176–177
- Increase Waveform command, 521
- Info inspector
 - using, 110–111
 - viewing, 72–73
- informational graphics, 321
- ingest phase, 9
- Insert command, 526
- insert edits
 - explained, 127–128
 - performing, 128–131
- Insert Gap command, 528
- inserting
 - clips into storylines, 251
 - frames, 146
 - gap clips, 139–141, 217, 219
- Inspector
 - button, 72
 - command, 521
 - keyboard shortcut, 105
- internally managed clips, importing as, 454–455
- Intersect mask blend mode, 292

interview answers, managing, 75
 Interview Keyword Collection, 84
 iOS-compatible files, sharing, 196–200
 iPhone Keyword Collection, 65–66
 iTunes Timed Text caption delivery, 503
 iXML, recommendation, 37

J

job, introducing, 8–11

K

keyboard shortcuts. *See also* command set
 defaults
 accessing, 3
 Adjust Volume Absolute, 376
 append edit, 123
 appending clips, 166
 assigning, 517–519
 backtimed connect edits, 307
 Blade tool, 145, 232
 blading clips, 143
 clips, 301
 connect editing, 178
 connecting clips to primary storyline, 156
 connection points, 245
 creating, 11
 cross dissolves, 193–194, 297
 cueing playhead, 136
 deselecting selected items, 197
 end points, 136
 fitting projects in Timeline, 121, 178
 gap clips, 217, 219
 Hide Retime Editor, 216
 Inspector, 105
 markers, 183–184, 224
 Media Import, 42
 moving playhead, 215
 no clip range selected, 197
 nudging clips, 154
 pausing, 30
 playing back ranges, 78
 playing in reverse, 30
 Retime Editor, 266
 Reveal Project in Browser, 432
 reviewing edits, 147
 Select All, 107, 375

 snapping, 155, 169
 Solo, 183
 storylines, 161, 165
 transitions, 301
 undoing edits, 144
 using for trimming, 136
 workspace default, 150
 zooming in Timeline, 133
 Keyer effect, using, 481–482
 keyframes
 adjusting for clips, 375–376
 setting, 361–364
 keyframing, using range selection for, 372–375
 Keyword Collections
 5D-7D, 64–65
 360-video, 495
 adding clips to, 60–62
 GoPro event, 66
 Interview, 84
 iPhone, 65–66
 Keyword Editor, using, 59
 Keyword shortcuts, using, 62–64
 keywording
 clips, 53–56
 ranges, 66–70
 keywords
 adding to clips, 57–60
 adding using shortcuts, 62–64
 collections for clips, 60–62
 generating, 37–38
 removing, 60, 64
 using, 52–56
 viewing in List view, 68–70

L

L bracket, appearance of, 130
 Landing keyword, applying, 52
 L-cut, 358
 Leave files in place, 450–451
 Left Bracket ([), using to select end points, 136
 libraries. *See also* clips; events; media
 management
 archiving, 467
 closing, 20
 copying between, 94
 copying events to, 464–466

- creating, 16–21
 - features, 468
 - importing files, 450–452
 - making portable, 463–466
 - managing, 446
 - moving and copying clips, 460–462
 - moving and copying events between, 468
 - opening, 466
 - storing imported data, 445–450
 - storing in containers, 16
 - using clips between, 463
 - Libraries sidebar, contents of, 50
 - Library Properties inspector, 449
 - library-wide Smart Collections, creating, 97–100
 - Lift from Storyline command, 527
 - Lifted Vignette
 - edit in progress, 136–137
 - sound bite-drive primary storyline, 148
 - lifting, from storylines, 208–209
 - Lighting parameters, using with 3D, 338
 - List view, viewing keywords in, 68–70
 - login information, maintaining security, 430
 - loop playback, enabling, 124
 - Loudness analysis, 377
 - lower third. *See also* 3D titles
 - adding and modifying, 323–329
 - converting from 2D to 3D, 331
 - luma controls. *See* color correction
 - luma value. *See also* master luma
 - versus chroma, 387
 - reading for clips, 387–389
- M**
- magnetic properties, overriding, 228–229
 - managed media, 36
 - markers
 - content-based, 228
 - creating, 223–228
 - music-based, 227
 - setting, 182–183
 - snapping, 254
 - types, 225
 - using with visual cues, 182–183
 - working with, 221–223
 - marking ranges, 34–35
 - mask blend modes, 292
 - masking objects, 480–481
 - masks, creating, 288–291
 - master files, sharing, 436–439. *See also* files
 - master luma, adjusting, 390–394. *See also* luma value
 - media files. *See* source media files
 - creating internally, 448
 - specifications, 25
 - media handles
 - defining for transitions, 296–298
 - slipping for creation of, 298–299
 - Media Import
 - applying options, 39–40
 - command, 521
 - folders and subfolders, 43
 - Media Import window. *See also* importing
 - choosing options, 35–39
 - keywords and audio roles, 37–38
 - physical storage, 36–37
 - transcode and analysis options, 38–39
 - using, 22–25
 - virtual storage, 36
 - media library, full and empty, 446–447
 - media management, 13. *See also* libraries
 - Media Roles, using, 102–104
 - media storage, 447
 - media volumes, 27
 - Medium Shot analysis keyword, 102
 - Merge Events command, using with
 - libraries, 468
 - metadata
 - adding, 84
 - commands, 523–524
 - displaying in Viewer, 51
 - entering, 10
 - handling, 110–111
 - searching, 87
 - types, 86
 - Midtones controls, dragging, 421
 - mixing from takes, 381
 - mix-minus, 104
 - Move Connection command, 528
 - moving clips, 252–253
 - moving playhead, 215
 - multicam clip
 - editing, 489–493

- fine-tuning within, 493–494
 - setting up, 485–489
 - switching angles, 494
- music
 - ducking and swelling, 368–372
 - realigning sound bites to, 229–236
- music clips, connecting, 179–180
- music swell, 188
- music-based markers, 227

N

- native formats
 - audio, 532
 - still images, 532
 - video, 531
- nats (natural sound audio), 149, 186
- navigating within filmstrip preview, 29–32
- navigation commands, 522–523
- New Compound Clip command, 527
- Next Frame command, 522
- notes, adding to clips, 70–73
- Nudge commands, 525
- nudge trimming, 147
- nudging clips, 154

O

- objects, masking, 480–481
- offline clips
 - creating, 41
 - relinking to source media, 453
- online host, sharing to, 429–433
- Opacity parameter, 305
- Open With options, 199
- Option key. *See* keyboard shortcuts
- organizing clips, 9
- orphaned clips, finding, 92–94
- Override Connections command, 528
- Overwrite command, 526
- overwrite editing, 228, 234

P

- pacing, creating, 173, 220
- Page Curl transition
 - applying, 300–301
 - replacing, 303

- Paste commands, 520
- pasting timecode, 85
- Patch effect, using with 360-video clip, 500
- pause, creating with Position tool, 232
- Pause command, 522
- pausing files, 30
- peaking meters, 186
- people, detecting, 100–102
- period (.) key, using to insert content, 135, 154
- physical storage, choosing, 36–37
- pixel grayscale luminance, exposure controls, 394
- Play commands, 522
- playback, starting for ratings, 77–78
- playback speed, setting manually, 266–269. *See also* speed change
- playhead
 - advancing, 235
 - comparing to skimmer, 125
 - cueing, 134, 136
 - cueing for transitions, 301
 - jumping for trimming, 136
 - moving, 215
 - setting precisely, 132
- playing
 - files in reverse, 30
 - projects, 124
- pointer, changing appearance of, 159
- Position command, 520
- Position Playhead command, 523
- Position tool, using, 228–229
- Preflight Keyword Collection, selecting, 164
- preflight storyline, 238
- presets
 - destinations, 196
 - saving effects as, 283–285
- previewing
 - audio blends, 356–357
 - clips, 233
- Previous Frame command, 522
- primary storyline. *See also* connected storyline; storylines
 - appending, 118–124
 - defining, 116–117
 - editing above, 148–149
 - editing below, 179
 - modifying clips in, 127–128

- rearranging clips, 125–127
- replacing, 212–213
- rippling, 131–137
- timing, 137–139
- product registration, 4
- production companies, examples, 8
- projects
 - creating, 114–115
 - defined, 113
 - duplicating, 206
 - duplicating as snapshots, 265
 - fitting in Timeline, 178
 - fitting within Timeline, 121
 - playing, 124
 - sharing, 196
 - snapshotting, 207
 - storing, 114
 - using manual settings, 471–475
 - versioning, 206

Q

QuickTime Player, 199–200

R

- RAID (redundant array of independent disks), 27
- Range Selection command, 520
- range selections
 - importing, 34–35
 - using for keyframing, 372–375
- ranges. *See also* clips
 - assigning notes to, 73
 - keywording, 66–70
 - selecting, 166
 - unrating, 83
- ratings. *See also* clips
 - applying, 74–80, 176–177
 - assigning, 73–74
- recording, voiceovers, 378
- recovering source media files, 468
- Reflective Paint, applying to 3D glyphs, 340
- registering product, 4
- Reject command, 524
- reminders, creating, 256
- Remove Attributes command, 520
- Remove Attributes window, displaying, 286

- removing. *See* deleting
- Replace with Gap command, 528
- replacing
 - clips, 210–211
 - primary storyline, 212–213
- Reset button, using with effects, 281
- resize icon, appearance of, 195
- Retime Editor
 - displaying, 266, 271
 - hiding, 216
- retiming
 - borrowed audio, 351–354
 - clips, 216
 - commands, 528
- Reveal Project in Browser command, 432, 527
- Reverse command, 522
- reviewing edits, 147
- reviewing takes, 242–245
- RGB Overlay, 387
- RGB Parade video scope, 387–388, 420
- rhythmic cadence, 226
- Right Bracket (]), using to select end points, 136
- Ripple Training, 8
- ripple trimming. *See also* trimming
 - end points, 135–136
 - explained, 127–128
 - using, 163
- rippling primary storyline, 131–137
- Role Editor, 105
- roles
 - assigning, 104–109
 - setting volume levels by, 367–368
 - using, 102–104
- Roles Index, using, 223
- roll and bank, 333
- roll trim, 162–163. *See also* trimming
- rough cut
 - explained, 113
 - finessing, 180–182

S

- Saturation Grayscale controls, adjusting, 414–415
- SD Card, accessing, 7
- searching. *See also* finding
 - B-roll, 150
 - clips, 52–53

- frames for ratings, 76
- metadata, 87
- security, maintaining for login information, 430
- segments
 - deleting, 138
 - replacing with gap clips, 143
- Select All command, 107, 375, 519
- Select Clip Range command, 523
- Select command, 520
- Select tool, using, 132, 142, 172, 230, 349
- selected items, deselecting, 197
- Set Additional commands, 523
- Set Marker command, 527
- Set Range commands, 523
- Shadow Color control, dragging, 421
- share destinations, 428
- share phase, 10
- sharing. *See also* Compressor;
 - exchangeable files
 - 360-video projects, 501
 - to bundles, 433–436
 - Compressor, 440–443
 - embedded captions, 512–514
 - exchangeable files, 440
 - external captions, 512–514
 - iOS-compatible files, 196–200
 - master files, 436–439
 - to online hosts, 429–433
 - projects, 196
 - viewable files, 427–428
- shortcuts. *See* keyboard shortcuts
- shot composition, detecting, 102
- Show Audio Meters command, 521
- sine wave, 191
- skimmer
 - comparing to playhead, 125
 - cueing, 125
- Skimmer Info command, 35, 524
- skimming, 29, 257, 523
- slash (/), using to preview clips, 233
- slip edit. *See also* edits
 - to create media handles, 298–299
 - using, 184–186
- slip trim, performing, 181. *See also* trimming
- Smart Collections. *See also* collections
 - creating, 89–90
 - library wide, 97–100
 - using, 94–97
- SMF1 source media file, 456
- snapping
 - command, 526
 - disabling, 169
 - enabling, 170
 - enabling after trimming, 169
 - markers, 254
 - toggling, 237
 - turning on and off, 155
 - using with Blade tool, 142
- snapshots, duplicating projects as, 206, 265
- snapshotting projects, 207
- Solo
 - button, 183
 - command, 525
- soloing audio and video, 257
- sorting clips, 86
- sound, adding to clips, 347–351. *See also* audio
- sound bites
 - aligning, 254–260
 - breaking up and adding, 231–236
 - and B-roll, 8
 - deselecting, 235
 - moving, 235–236
 - pacing, 137
 - realigning to music, 229–236
 - refining edits, 146–148
- sound effects, ducking and swelling, 368–372. *See also* effects
- soundwaves, 191
- source media files. *See also* media files
 - downloading, 4
 - importing from cameras, 28
 - preparing, 5–8
 - recovering, 468
 - relining offline clips to, 453
- spatial parameters, using for compositing, 303–304
- special characters, including, 511
- specifications for media files, 25
- speed change, setting, 264–269. *See also* Custom Speed window; playback speed
- speed transitions, working with, 272–275. *See also* transitions

- stacking order, changing for effects, 281–283
 - start bracket, 130
 - start points, marking, 34
 - still images, formats, 532
 - storing projects, 114
 - storylines. *See also* connected storyline; primary storyline
 - creating, 161, 165
 - deleting within, 237–239
 - inserting clips into, 251
 - lifting from storylines, 208–209
 - overriding magnetic properties, 228–229
 - placing clips in, 218
 - preflight, 238
 - repositioning, 237–239
 - storytelling, 254
 - subclips, creating, 70
 - subroles
 - renaming, 108
 - using, 103–104
 - Subtract mask blend mode, 292
 - sub-workflows. *See also* workflows
 - generating captions, 502–514
 - manipulating 360-video, 495–501
 - manual settings for projects, 472–475
 - synchronizing dual system recordings, 475–477
 - using chroma key, 477–484
 - and workflows, 9
 - working with multicam, 484–494
 - swell of music, 182–183, 226
 - swelling and ducking effects and music, 368–372
 - symlinks, using, 42, 447, 450–452
- T**
- tag tokens, entering, 198
 - Tags Index, using, 222–223
 - Takeoff keyword, applying, 52, 176
 - takes
 - mixing from, 381
 - reviewing, 242–245
 - text, transforming in 3D, 333–338
 - Text inspector, 3D Text category, 343
 - through edit
 - creating, 137–138
 - joining, 145–146
 - through edit, creating. *See also* edits
 - thumbnails
 - hiding, 226–227
 - highlighting, 32–33
 - time, creating at 0:00, 214–221
 - timecode, pasting, 85
 - timecode language, editing in, 77
 - Timeline
 - activating, 167
 - command, 521
 - fitting projects in, 121, 178
 - placing clips in, 164–165
 - Tools pop-up, 132
 - viewing projects in, 124
 - zooming in and out, 133
 - Timeline Index, using, 222–223, 225, 521
 - Timeline view, zooming in, 135
 - title text, replacing, 329
 - titles, using, 321–322. *See also* 3D titles; lower third
 - to-do markers, using, 222, 225, 265
 - Tool palette commands, 520
 - tops and tails, trimming, 246–247
 - traces, 387
 - transfer phase, 9
 - Transform
 - parameter, 305
 - tool, 308, 311
 - transitions. *See also* speed transitions; video transitions
 - commands, 529
 - control points, 301–302
 - cross dissolves, 295
 - customizing, 301–303
 - defining media handles for, 296–298
 - deleting, 303
 - organizing, 299–300
 - removing, 252–253
 - selecting, 301
 - Transitions Browser, using, 299–300
 - Trim command, 520
 - trim edit, performing, 147
 - Trim effect, using with Crop tool, 310–311
 - Trim to Selection, performing, 258
 - Trim tool, using, 163, 170–172, 184–185
 - trimming. *See also* ripple trimming; roll trim; slip trim
 - aerials, 247–260

- behavior, 157–160
- commands, 525
- connected clips, 159–160
- content, 131–132, 147
- end points, 171–172
- tops and tails, 246–247
- two-up display, 162, 306–312

U

- Undo shortcut command, 11, 144, 519
- Unrate command, 524
- Up command, 523
- upcut, avoiding, 141

V

- variable speed change, 269
- Vectorscope, using, 388–389, 411–412
- versioning projects, 206
- video, soloing, 257
- Video Animation Editor
 - copying and pasting attributes, 314–315
 - exploring, 312–314
- video effects. *See also* depth of field effect; effects
 - amount of, 276
 - deleting and removing attributes, 285–287
 - experimenting with, 277–279
 - modifying, 279–281
 - saving as presets, 283–285
 - stacking, 281–283
 - working with, 275–277
- video formats, 531
- video scopes, 383–384, 388
- video storytelling, 254
- video transitions. *See also* transitions
 - cross dissolves, 295
 - media handles, 296–298
 - slipping to create media handles, 298–299
 - Transitions Browser, 299–300
 - working with, 293–294
- viewable files, creating, 427–428
- Viewer
 - displaying, 51
 - positioning images in, 308–312

- vignette effect
 - applying, 277–279
 - modifying, 279–281
- virtual storage, choosing, 36
- visual cues, using markers with, 182–183
- Voiceover tool, using, 378–381
- voiceovers, recording, 378
- volume controls
 - dragging, 350
 - knowing, 188
- volume level. *See also* clip volume levels
 - Adjust Volume Absolute, 376
 - adjusting for clips, 375–376
 - adjusting for music clip, 180
 - adjusting over time, 360–364
 - changing channel configuration, 365–367
 - ducking sound effects and music, 368–372
 - range selection for keyframing, 372–375
 - reading audio meters, 364–365
 - setting by role, 367–368
 - swelling sound effects and music, 368–372
- volumes, importing files from, 40–42

W

- waveform cycle, 191
- waveforms, 350. *See also* audio waveforms
- white balance, 381, 422–424
- Wide Shot analysis keyword, 102
- workflows, learning, 9–11. *See also* sub-workflows
- workspaces
 - changing, 116
 - choosing default, 150
 - commands, 521–522
 - customizing, 57

X

- XML (eXtensible Markup Language), 440

Z

- Z axis, 333
- .zip files, opening, 8
- Zoom commands, 521